

FOREWORD

The forward and CC instructions will be provided at a later date

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.1	<p>CHAPTER 1. GENERAL</p> <p><i>Note 1.— The object of the aeronautical information service (AIS) is to ensure the flow of aeronautical data and aeronautical information necessary for global air traffic management (ATM) system safety, regularity, economy and efficiency in an environmentally sustainable manner. The role and importance of aeronautical data and aeronautical information changed significantly with the implementation of area navigation (RNAV), performance-based navigation (PBN), airborne computer-based navigation systems, performance-based communication (PBC), performance-based surveillance (PBS), data link systems and satellite voice communications (SATVOICE). Corrupt, erroneous, late or missing aeronautical data and aeronautical information can potentially affect the safety of air navigation.</i></p> <p><i>Note 2.— These Standards and Recommended Practices are to be used in conjunction with the Procedures for Air Navigation Services — ICAO Abbreviations and Codes (PANS-ABC, Doc 8400).</i></p> <p><i>Note 3.— These Standards and Recommended Practices are to be used in conjunction with the Procedures for Air Navigation Services — Aeronautical Information Management (PANS-AIM, Doc 10066).</i></p>	Regulation (EU) 2018/1139, Art. 3 (16)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
-------	--	--	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p><i>Note 4.— Guidance material on the organization and operation of the AIS is contained in the Aeronautical Information Services Manual (Doc 8126).</i></p> <p>1.1 Definitions</p> <p>When the following terms are used in the Standards and Recommended Practices for the AIS, they have the following meanings:</p> <p>INTERNATIONAL STANDARDS AND RECOMMENDED PRACTICES</p> <p>Aerodrome. A defined area on land or water (including any buildings, installations and equipment) intended to be used either wholly or in part for the arrival, departure and surface movement of aircraft.</p>									
1.1.2	<p>Aerodrome mapping data (AMD). Data collected for the purpose of compiling aerodrome mapping information.</p> <p><i>Note.— Aerodrome mapping data is collected for purposes that include the improvement of the user's situational awareness, surface navigation operations, training, charting and planning.</i></p>	Regulation (EU) 2017/373, Annex I (14)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.3	Aerodrome mapping database (AMDB). A collection of aerodrome mapping data organized and arranged as a structured data set.	Regulation (EU) 2017/373, Annex I (15)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.4	Aeronautical chart. A representation of a portion of the Earth, its culture and relief, specifically designated to meet the requirements of air navigation.	Regulation (EU) 2017/373, Annex VI, AIS.OR.325 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.5	Aeronautical data. A representation of aeronautical facts, concepts or instructions in a formalized manner suitable for communication, interpretation or processing.	Regulation (EU) 2017/373, Annex I (9)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.6	Aeronautical fixed service (AFS). A telecommunication service between specified fixed points provided primarily for the safety of air navigation and for the regular, efficient and economical operation of air services.	Regulation (EU) 2017/373, Annex I (11)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.7	Aeronautical information. Information resulting from the assembly, analysis and formatting of aeronautical data.	Regulation (EU) 2017/373, Annex I (13)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.8	Aeronautical Information Circular (AIC). A notice containing information that does not qualify for the origination of a NOTAM or for inclusion in the AIP, but which relates to flight safety, air navigation, technical, administrative or legislative matters.	Regulation (EU) 2017/373, Annex I (115)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.9	Aeronautical information management (AIM). The dynamic, integrated management of aeronautical information through the provision and exchange of quality-assured digital aeronautical data in collaboration with all parties.	Regulation (EU) 2017/373, Annex I (116)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.10	Aeronautical information product. Aeronautical data and aeronautical information provided either as digital data sets or as a standardized presentation in paper or electronic media. Aeronautical information products include: — Aeronautical Information Publication (AIP), including Amendments and Supplements; — Aeronautical Information Circulars (AIC); — aeronautical charts;	Regulation (EU) 2017/373, Annex I (117)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>— NOTAM; and</p> <p>— digital data sets.</p> <p><i>Note.—Aeronautical information products are intended primarily to satisfy international requirements for the exchange of aeronautical information.</i></p>									
1.1.11	Aeronautical Information Publication (AIP). A publication issued by or with the authority of a State and containing aeronautical information of a lasting character essential to air navigation.	Regulation (EU) 2017/373, Annex I (118)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.12	Aeronautical information service (AIS). A service established within the defined area of coverage responsible for the provision of aeronautical data and aeronautical information necessary for the safety, regularity and efficiency of air navigation.	Regulation (EC) 549/2004 Article 2(3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.13	AIP Amendment. Permanent changes to the information contained in the AIP.	Regulation (EU) 2017/373, Annex I (119)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.14	AIP Supplement. Temporary changes to the information contained in the AIP which are provided by means of special pages.	Regulation (EU) 2017/373, Annex I (120)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.15	AIRAC. An acronym (aeronautical information regulation and control) signifying a system aimed at advance notification, based on common effective dates, of circumstances that necessitate significant changes in operating practices.	Regulation (EU) 2017/373, Annex I (121)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.16	Air defence identification zone (ADIZ). Special designated airspace of defined dimensions within which aircraft are required to comply with special identification and/or reporting procedures additional to those related to the provision of air traffic services.	Regulation (EU) 2017/373, Annex VI, AIS.TR.505 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.17	Air traffic management (ATM). The dynamic, integrated management of air traffic and airspace (including air traffic services, airspace management and air traffic flow management) — safely, economically and efficiently — through the provision of facilities and seamless services in collaboration with all parties and involving airborne and ground-based functions.	Regulation (EC) No 549/2004, Art 2, point (10)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.18	Application. Manipulation and processing of data in support of user requirements (ISO 19104*).		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.									not been transposed because it is not used in Annex 15
1.1.19	Area navigation (RNAV). A method of navigation which permits aircraft operation on any desired flight path within the coverage of ground- or space-based navigation aids or within the limits of the capability of self-contained aids, or a combination of these. <i>Note.— Area navigation includes performance-based navigation as well as other operations that do not meet the definition of performance-based navigation.</i>	Regulation (EU) 2017/373, Annex I (27)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.20	ASHTAM. A special series NOTAM notifying by means of a specific format change in activity of a volcano, a volcanic eruption and/or volcanic ash cloud that is of significance to aircraft operations.	Regulation (EU) 2017/373, Annex I (29)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.21	Assemble. A process of merging data from multiple sources into a database and establishing a baseline for subsequent processing. <i>Note.— The assemble phase includes checking the data and ensuring that detected errors and omissions are rectified.</i>	Regulation (EU) 2017/373, Annex I (138)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.22	ATS surveillance service. Term used to indicate a service provided directly by means of an ATS surveillance system.	Regulation (EU) 2017/373, Annex I (140)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.23	ATS surveillance system. A generic term meaning variously, ADS-B, PSR, SSR or any comparable ground-based system that enables the identification of aircraft. <i>Note.— A comparable ground-based system is one that has been demonstrated, by comparative assessment or other methodology, to have a level of safety and performance equal to or better than monopulse SSR.</i>	Regulation (EU) 2017/373, Annex I (141)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.24	Automatic dependent surveillance — broadcast (ADS-B). A means by which aircraft, aerodrome vehicles and other objects can automatically transmit and/or receive data such as identification, position and additional data, as appropriate, in a broadcast mode via a data link.	Regulation (EU) 2017/373, Annex I (142)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.25	Automatic dependent surveillance — contract (ADS-C). A means by which the terms of an ADS-C agreement will be exchanged between the ground system and the aircraft, via a data link, specifying under what conditions ADS-C reports would be initiated, and what data would be contained in the reports.	Regulation (EU) 2017/373, Annex I (143)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>Note.— The abbreviated term “ADS contract” is commonly used to refer to ADS event contract, ADS demand contract, ADS periodic contract or an emergency mode.</i>									
1.1.26	<p>Automatic terminal information service (ATIS). The automatic provision of current, routine information to arriving and departing aircraft throughout 24 hours or a specified portion thereof:</p> <p><i>Data link-automatic terminal information service (D-ATIS).</i> The provision of ATIS via data link.</p> <p><i>Voice-automatic terminal information service (Voice-ATIS).</i> The provision of ATIS by means of continuous and repetitive voice broadcasts.</p>	Regulation (EU) 2017/373, Annex I (144, 145 and 146)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.27	Bare Earth. Surface of the Earth including bodies of water and permanent ice and snow, and excluding vegetation and man-made objects.	Regulation (EU) 2017/373, Annex I, GM1 101	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.28	Calendar. Discrete temporal reference system that provides the basis for defining temporal position to a resolution of one day (ISO 19108Error! Bookmark not defined.	Regulation (EU) 2017/373, Annex III,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transpos

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	ATM/ANS.O R.A.090 (c), GM1 ATM/ANS.O R.A.090 (c)								ed but the term used with the same meaning
1.1.29	Canopy. Bare Earth supplemented by vegetation height.	Regulation (EU) 2017/373, Annex I, GM1 101	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.30	Confidence level. The probability that the true value of a parameter is within a certain interval around the estimate of its value. <i>Note.— The interval is usually referred to as the accuracy of the estimate.</i>	Regulation (EU) 2017/373, Annex I (152)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.31	Controller-pilot data link communications (CPDLC). A means of communication between controller and pilot, using data link for ATC communications.	Regulation (EU) 2017/373, Annex I (158)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.32	Culture. All man-made features constructed on the surface of the Earth, such as cities, railways and canals.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition is not transposed because the term is not used in Annex 15
1.1.33	Cyclic redundancy check (CRC). A mathematical algorithm applied to the digital expression of data that provides a level of assurance against loss or alteration of data.	Regulation (EU) 2017/373, Annex I (161)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.34	Danger area. An airspace of defined dimensions within which activities dangerous to the flight of aircraft may exist at specified times.	Regulation (EU) 2017/373, Annex I (162)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.35	Data accuracy. A degree of conformance between the estimated or measured value and the true value.	Regulation (EU) 2017/373, Annex I (163)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.36	Data completeness. The degree of confidence that all of the data needed to support the intended use is provided.	Regulation (EU) 2017/373, Annex I (151)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.37	Data format. A structure of data elements, records and files arranged to meet standards, specifications or data quality requirements.	Regulation (EU) 2017/373, Annex I (189)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.38	Data integrity (assurance level). A degree of assurance that an aeronautical data and its value has not been lost or altered since the origination or authorized amendment.	Regulation (EU) 2017/373, Annex I (165)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.39	Data product. Data set or data set series that conforms to a data product specification (ISO 19131) Error! Bookmark not defined. ----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Regulation (EU) 2017/373 , Annex I (170)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.40	Data product specification. Detailed description of a data set or data set series together with additional	Regulation (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>information that will enable it to be created, supplied to and used by another party (ISO 19131Error! Bookmark not defined.</p> <p><i>Note.— A data product specification provides a description of the universe of discourse and a specification for mapping the universe of discourse to a data set. It may be used for production, sales, end-use or other purpose.</i></p> <p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>	2017/373 , Annex I (170)								
1.1.41	Data quality. A degree or level of confidence that the data provided meet the requirements of the data user in terms of accuracy, resolution, integrity (or equivalent assurance level), traceability, timeliness, completeness and format.	Regulation (EU) 2017/373, Annex I (41)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.42	Data resolution. A number of units or digits to which a measured or calculated value is expressed and used.	Regulation (EU) 2017/373, Annex I (224)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.43	Data set. Identifiable collection of data (ISO 19101 Error! Bookmark not defined.	Regulation (EU) 2017/373, Annex I (171)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	* All ISO Standards referred to in this chapter are listed at the end of the chapter.									
1.1.44	Data set series. Collection of data sets sharing the same product specification (ISO 19115 Error! Bookmark not defined. ----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Regulation (EU) 2017/373, Annex I (171)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The equivalent term used is "data sets".
1.1.45	Data timeliness. The degree of confidence that the data is applicable to the period of its intended use.	Regulation (EU) 2017/373, Annex I (240)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.46	Data traceability. The degree that a system or a data product can provide a record of the changes made to that product and thereby enable an audit trail to be followed from the end-user to the originator.	Regulation (EU) 2017/373, Annex I (241)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.47	Datum. Any quantity or set of quantities that may serve as a reference or basis for the calculation of other quantities (ISO 19104 Error! Bookmark not defined. ----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Regulation (EU) 2017/373, Annex I (172)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.48	<p>Digital Elevation Model (DEM). The representation of terrain surface by continuous elevation values at all intersections of a defined grid, referenced to common datum.</p> <p><i>Note.— Digital Terrain Model (DTM) is sometimes referred to as DEM.</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has not been transposed because it is not used neither in Annex 15 nor PANS-AIM
1.1.49	<p>Direct transit arrangements. Special arrangements approved by the public authorities concerned by which traffic which is pausing briefly in its passage through the Contracting State may remain under their direct control.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has not been transposed because it is not used neither in Annex 15 nor PANS-AIM

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.50	Ellipsoid height (geodetic height). The height related to the reference ellipsoid, measured along the ellipsoidal outer normal through the point in question.	Regulation (EU) 2017/373, Annex VI, Appendix 1, AD 2.19	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.51	Feature. Abstraction of real world phenomena (ISO 19101 Error! Bookmark not defined. ----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Regulation (EU) 2017/373, Annex I (179)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.52	Feature attribute. Characteristic of a feature (ISO 19101 Error! Bookmark not defined. <i>Note.— A feature attribute has a name, a data type and a value domain associated with it.</i> ----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Regulation (EU) 2017/373, Annex I (180)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.53	Feature operation. Operation that every instance of a feature type may perform (ISO 19110 Error! Bookmark not defined. <i>Note.— An operation upon the feature type dam is to raise the dam. The result of this operation is to raise the level of water in the reservoir.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has not been transposed because it is not

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>									used neither in Annex 15 nor PANS- AIM
1.1.54	<p>Feature relationship. Relationship that links instances of one feature type with instances of the same or a different feature type (ISO 19101Error! Bookmark not defined.</p> <p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has not been transposed because it is not used neither in Annex 15 nor PANS-AIM
1.1.55	<p>Feature type. Class of real world phenomena with common properties (ISO 19110Error! Bookmark not defined.</p> <p><i>Note.— In a feature catalogue, the basic level of classification is the feature type.</i></p>	Regulation (EU) 2017/373, Annex I (181)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Definition is expanded to add: "...which forms the basic level of

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.									classification in a feature catalogue".
1.1.56	Geodesic distance. The shortest distance between any two points on a mathematically defined ellipsoidal surface.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has not been transposed because it is not used in Annex 15
1.1.57	Geodetic datum. A minimum set of parameters required to define location and orientation of the local reference system with respect to the global reference system/frame.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has not been transposed because it is not used in Annex 15 nor PANS-AIM
1.1.58	Geoid. The equipotential surface in the gravity field of the Earth which coincides with the undisturbed mean	Regulation (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>sea level (MSL) extended continuously through the continents.</p> <p><i>Note.— The geoid is irregular in shape because of local gravitational disturbances (wind tides, salinity, current, etc.) and the direction of gravity is perpendicular to the geoid at every point.</i></p>	2017/373, Annex I (190)								
1.1.59	<p>Geoid undulation. The distance of the geoid above (positive) or below (negative) the mathematical reference ellipsoid.</p> <p><i>Note.— In respect to the World Geodetic System — 1984 (WGS-84) defined ellipsoid, the difference between the WGS-84 ellipsoidal height and orthometric height represents WGS-84 geoid undulation.</i></p>	Regulation (EU) 2017/373, Annex I (191)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.60	<p>Gregorian calendar. Calendar in general use; first introduced in 1582 to define a year that more closely approximates the tropical year than the Julian calendar (ISO 19108Error! Bookmark not defined.</p> <p><i>Note.— In the Gregorian calendar, common years have 365 days and leap years 366 days divided into twelve sequential months.</i></p> <p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.A.090 (c) and GM1 ATM/ANS.O R.A.090 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.61	Height. The vertical distance of a level, point or an object considered as a point, measured from a specific datum.	Regulation (EU) 2017/373, Annex I (62)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.62	Heliport. An aerodrome or a defined area on a structure intended to be used wholly or in part for the arrival, departure and surface movement of helicopters.	Regulation (EU) 2017/373, Annex I (195)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.63	Human factors principles. Principles which apply to aeronautical design, certification, training, operations and maintenance and which seek safe interface between the human and other system components by proper consideration to human performance.	Regulation (EU) 20170/373, Annex IV, ATS.OR.310	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.64	Integrity classification (aeronautical data). Classification based upon the potential risk resulting from the use of corrupted data. Aeronautical data is classified as: a) <i>routine data</i> : there is a very low probability when using corrupted routine data that the	Regulation (EU) 20170/373, Annex I (196), GM1 (196) to Annex I	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	continued safe flight and landing of an aircraft would be severely at risk with the potential for catastrophe; b) <i>essential data</i> : there is a low probability when using corrupted essential data that the continued safe flight and landing of an aircraft would be severely at risk with the potential for catastrophe; and c) <i>critical data</i> : there is a high probability when using corrupted critical data that the continued safe flight and landing of an aircraft would be severely at risk with the potential for catastrophe.									
1.1.65	International airport. Any airport designated by the Contracting State in whose territory it is situated as an airport of entry and departure for international air traffic, where the formalities incident to customs, immigration, public health, animal and plant quarantine and similar procedures are carried out.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has not been transposed because it is not used neither in Annex 15 nor PANS-AIM
1.1.66	International NOTAM office (NOF). An office designated by a State for the exchange of NOTAM internationally.	Regulation (EU) 2017/373	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

		Annex I (197)								
1.1.67	Logon address. A specified code used for data link logon to an ATS unit.	Regulation (EU) 2017/373 Annex III, Appendix 1, Table 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.68	Manoeuvring area. That part of an aerodrome to be used for the take-off, landing and taxiing of aircraft, excluding aprons.	Regulation (EU) 2017/373, Annex I (207)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.69	Metadata. Data about data (ISO 19115) Error! Bookmark not defined. <i>Note.— A structured description of the content, quality, condition or other characteristics of data.</i> ----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Regulation (EU) 2017/373, Annex I (208)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.70	Minimum en-route altitude (MEA). The altitude for an en-route segment that provides adequate reception of relevant navigation facilities and ATS communications, complies with the airspace structure and provides the required obstacle clearance.	Regulation (EU) 2017/373 Annex III, Appendix I, Table 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.71	Minimum obstacle clearance altitude (MOCA). The minimum altitude for a defined segment of flight that provides the required obstacle clearance.	Regulation (EU) 2017/373 Annex III, Appendix I, Table 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.72	Movement area. That part of an aerodrome to be used for the take-off, landing and taxiing of aircraft, consisting of the manoeuvring area and the apron	Regulation (EU) 2017/373, Annex I (209)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.73	Navigation specification. A set of aircraft and flight crew requirements needed to support performance-based navigation operations within a defined airspace. There are two kinds of navigation specifications: <i>Required navigation performance (RNP) specification.</i> A navigation specification based on area navigation that includes the requirement for performance monitoring and alerting, designated by the prefix RNP, e.g. RNP 4, RNP APCH. <i>Area navigation (RNAV) specification.</i> A navigation specification based on area navigation that does not include the requirement for performance monitoring and alerting, designated by the prefix RNAV, e.g. RNAV 5, RNAV 1.	Regulation (EU) 2017/373 Annex III, Appendix I, Table 4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p><i>Note 1.— The Performance-based Navigation (PBN) Manual (Doc 9613), Volume II, contains detailed guidance on navigation specifications.</i></p> <p><i>Note 2.— The term RNP, previously defined as “a statement of the navigation performance necessary for operation within a defined airspace”, has been removed from this Annex as the concept of RNP has been overtaken by the concept of PBN. The term RNP in this Annex is now solely used in the context of navigation specifications that require performance monitoring and alerting, e.g. RNP 4 refers to the aircraft and operating requirements, including a 4 NM lateral performance with on-board performance monitoring and alerting that are detailed in Doc 9613.</i></p>									
1.1.74	Next intended user. The entity that receives the aeronautical data or information from the aeronautical information service.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition has not been transposed because it is not used in Annex 15
1.1.75	NOTAM. A notice distributed by means of telecommunication containing information concerning the establishment, condition or change in any aeronautical facility, service, procedure or	Regulation (EU) 2017/373,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	hazard, the timely knowledge of which is essential to personnel concerned with flight operations.	Annex I (73)								
1.1.76	Obstacle. All fixed (whether temporary or permanent) and mobile objects, or parts thereof, that: a) are located on an area intended for the surface movement of aircraft; or b) extend above a defined surface intended to protect aircraft in flight; or c) stand outside those defined surfaces and that have been assessed as being a hazard to air navigation.	Regulation (EU) 2017/373, Annex I (74)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.77	Obstacle/terrain data collection surface. A defined surface intended for the purpose of collecting obstacle/terrain data.	Regulation (EU) 2017/373, Annex I (164)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Term has been changed to "data collection surface"
1.1.78	Origination (aeronautical data or aeronautical information). The creation of the value associated with new data or information or the modification of the value of existing data or information.	Regulation (EU) 2017/373, Annex I (169)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The adopted definition covers only the case of aeronautic	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

									al data	
1.1.79	Originator (aeronautical data or aeronautical information). An entity that is accountable for data or information origination and/or from which the AIS organization receives aeronautical data and aeronautical information.	Regulation (EU) 2017/373, Annex VI AIS.OR.205	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.80	Orthometric height. Height of a point related to the geoid, generally presented as an MSL elevation.	Regulation (EU) 2017/373, Annex III, GM1 ATM/ANS.OR.A.090(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.81	Performance-based communication (PBC). Communication based on performance specifications applied to the provision of air traffic services. <i>Note.— A required communication performance (RCP) specification includes communication performance requirements that are allocated to system components in terms of the communication to be provided and</i>	Regulation (EU) 2017/373, Annex III, Appendix 1, Table 3, GM1 AIS.OR.100	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>associated transaction time, continuity, availability, integrity, safety and functionality needed for the proposed operation in the context of a particular airspace concept.</i>									
1.1.82	Performance-based navigation (PBN). Area navigation based on performance requirements for aircraft operating along an ATS route, on an instrument approach procedure or in a designated airspace. <i>Note.— Performance requirements are expressed in navigation specifications (RNAV specification, RNP specification) in terms of accuracy, integrity, continuity, availability and functionality needed for the proposed operation in the context of a particular airspace concept.</i>	Regulation (EU) 965/2012, Article 2 (5); Regulation (EU) 2017/373, Annex III, Appendix I, Table 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.83	Performance-based surveillance (PBS). Surveillance based on performance specifications applied to the provision of air traffic services. <i>Note.— A required surveillance performance (RSP) specification includes surveillance performance requirements that are allocated to system components in terms of the surveillance to be provided and associated data delivery time, continuity, availability, integrity, accuracy of the surveillance data, safety and functionality needed for the proposed operation in the context of a particular airspace concept.</i>	Regulation (EU) 2017/373, Annex III, GM1 AIS.OR.100	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.84	Portrayal. Presentation of information to humans (ISO 19117 Error! Bookmark not defined.	Regulation (EU) 2017/373,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Annex VI, GM1 AIS.TR.335(b)								transposed but the term used with the same meaning
1.1.85	Position (geographical). Set of coordinates (latitude and longitude) referenced to the mathematical reference ellipsoid which define the position of a point on the surface of the Earth.	Regulation (EU) 2017/373, Annex I (214)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.86	Post spacing. Angular or linear distance between two adjacent elevation points.	Regulation (EU) 2017/373, Annex VI. AIS.TR.355	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.87	Precision. The smallest difference that can be reliably distinguished by a measurement process. <i>Note.— In reference to geodetic surveys, precision is a degree of refinement in performance of an operation or a degree of perfection in the instruments and methods used when taking measurements.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition is not used in Annex 15 therefor

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										e there is no need for transposition
1.1.88	Pre-flight information bulletin (PIB). A presentation of current NOTAM information of operational significance, prepared prior to flight.	Regulation (EU) 2017/373, Annex III, GM1 AIS.OR.405(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.89	Prohibited area. An airspace of defined dimensions, above the land areas or territorial waters of a State, within which the flight of aircraft is prohibited.	Regulation (EU) 2017/373, Annex I (219)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.90	Quality. Degree to which a set of inherent characteristics fulfils requirements (ISO 9000 Error! Bookmark not defined. <i>Note 1.— The term “quality” can be used with adjectives such as poor, good or excellent.</i>	Regulation (EU) 2017/373, Annex III, ATM/ANS.OR.B.005, AMC1 ATM/ANS.O	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p><i>Note 2.— “Inherent”, as opposed to “assigned”, means existing in something, especially as a permanent characteristic.</i></p> <p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>	R.B.005(a)								same meaning
1.1.91	<p>Quality assurance. Part of quality management focused on providing confidence that quality requirements will be fulfilled (ISO 9000Error! Bookmark not defined.</p> <p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>	Regulation (EU) 2017/373, Annex III, GM1 to AMC1 ATM/ANS.O R.A.005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.92	<p>Quality control. Part of quality management focused on fulfilling quality requirements (ISO 9000Error! Bookmark not defined.</p> <p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The definition is not used in Annex 15 therefore there is no reason for transpos

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										ition
1.1.93	Quality management. Coordinated activities to direct and control an organization with regard to quality (ISO 9000 Error! Bookmark not defined. ----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Regulation (EU) 2017/373, Annex III, ATM/ANS.OR.A.085	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The definition is not transposed but the term used with the same meaning
1.1.94	Radio navigation service. A service providing guidance information or position data for the efficient and safe operation of aircraft supported by one or more radio navigation aids.	Regulation (EU) 2017/373, Annex I (220)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.95	Required communication performance (RCP) specification. A set of requirements for air traffic service provision and associated ground equipment, aircraft capability, and operations needed to support performance-based communication.	Regulation (EU) 2017/373, Annex I (222)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.96	Required surveillance performance (RSP) specification. A set of requirements for air traffic service provision and associated ground equipment, aircraft capability, and operations needed to support performance-based surveillance.	Regulation (EU) 2017/373, Annex I (223)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.97	<p>Requirement. Need or expectation that is stated, generally implied or obligatory (ISO 9000Error! Bookmark not defined.</p> <p><i>Note 1.— “Generally implied” means that it is custom or common practice for the organization, its customers and other interested parties, that the need or expectation under consideration is implied.</i></p> <p><i>Note 2.— A qualifier can be used to denote a specific type of requirement, e.g. product requirement, quality management requirement, customer requirement.</i></p> <p><i>Note 3.— A specified requirement is one which is stated, for example, in a document.</i></p> <p><i>Note 4.— Requirements can be generated by different interested parties.</i></p> <p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The term is not used alone in Annex 15 therefore there is no reason for such transposition
1.1.98	<p>Restricted area. An airspace of defined dimensions, above the land areas or territorial waters of a State, within which the flight of aircraft is restricted in accordance with certain specified conditions.</p>	Regulation (EU) 2017/373, Annex I (225)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.99	Route stage. A route or portion of a route flown without an intermediate landing.	AIS.TR.100 Reg (EU) 2017/373	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.100	SNOWTAM. A special series NOTAM notifying the presence or removal of hazardous conditions due to snow, ice, slush or standing water associated with snow, slush and ice on the movement area, by means of a specific format. ----- Applicable until 3 November 2021.	Regulation (EU) 139/2014, Annex I (41b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Definiton applicable until 11 August 2021
1.1.101	SNOWTAM. A special series NOTAM given in a standard format providing a surface condition report notifying the presence or cessation of hazardous conditions due to snow, ice, slush, frost, standing water or water associated with snow, slush, ice or frost on the movement area. ----- Applicable as of 4 November 2021.	Regulation (EU) 2017/373, Annex I (231)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Definiton applicable as of 12 August 2021
1.1.102	Station declination. An alignment variation between the zero degree radial of a VOR and true north, determined at the time the VOR station is calibrated.	Regulation (EU) 2017/373, Annex VI, Appendix 1, Table 5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.1.103	Terrain. The surface of the Earth containing naturally occurring features such as mountains, hills, ridges, valleys, bodies of water, permanent ice and snow, and excluding obstacles.	Regulation (EU) 2017/373, Annex I (101)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.1.104	Traceability. Ability to trace the history, application or location of that which is under consideration (ISO 9000 Error! Bookmark not defined. <i>Note.— When considering product, traceability can relate to:</i> — the origin of materials and parts; — the processing history; and — the distribution and location of the product after delivery. ----- * All ISO Standards referred to in this chapter are listed at the end of the chapter.	Regulation (EU) 2017/373, Annex I (241)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The definition is based on that of data traceability	
1.1.105	Validation. Confirmation, through the provision of objective evidence, that the requirements for a specific intended use or application have been fulfilled (ISO 9000 Error! Bookmark not defined. -----	Regulation (EU) 2017/373, Annex I (249)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The definition is different in wording but the intent is the same.	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	* All ISO Standards referred to in this chapter are listed at the end of the chapter.									
1.1.106	<p>Verification. Confirmation, through the provision of objective evidence, that specified requirements have been fulfilled (ISO 9000Error! Bookmark not defined.</p> <p><i>Note.— The term “verified” is used to designate the corresponding status.</i></p> <p>-----</p> <p>* All ISO Standards referred to in this chapter are listed at the end of the chapter.</p>	Regulation (EU) 2017/373, Annex I (250)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The wording of the definition is different but the intent is the same	This definition is based on EUROCAE ED-76A/RTCA DO-200B ‘Standards for Processing Aeronautical Data’
1.1.107	<p>VOLMET. Meteorological information for aircraft in flight.</p> <p><i>Data link-VOLMET (D-VOLMET).</i> Provision of current aerodrome routine meteorological reports (METAR) and aerodrome special meteorological reports (SPECI), aerodrome forecasts (TAF), SIGMET, special air-reports not covered by a SIGMET and, where available, AIRMET via data link.</p> <p><i>VOLMET broadcast.</i> Provision, as appropriate, of current METAR, SPECI, TAF and SIGMET by means of continuous and repetitive voice broadcasts.</p>	Regulation (EU) 2017/373, Annex I (257), (168), (258)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

1.2.1.1	<p>1.2 Common reference systems for air navigation</p> <p>1.2.1 Horizontal reference system</p> <p>1.2.1.1 The World Geodetic System — 1984 (WGS-84) shall be used as the horizontal (geodetic) reference system for international air navigation. Consequently, published aeronautical geographical coordinates (indicating latitude and longitude) shall be expressed in terms of the WGS-84 geodetic reference datum.</p> <p><i>Note.— Comprehensive guidance material concerning WGS-84 is contained in the World Geodetic System — 1984 (WGS-84) Manual (Doc 9674).</i></p>	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.A.090 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.2.1.2	<p>1.2.1.2 Recommendation.— <i>In precise geodetic applications and some air navigation applications, temporal changes in the tectonic plate motion and tidal effects on the Earth's crust should be modelled and estimated. To reflect the temporal effect, an epoch should be included with any set of absolute station coordinates.</i></p> <p><i>Note 1.— The epoch of the WGS-84 (G873) reference frame is 1997.0 while the epoch of the latest updated WGS-84 (G1150) reference frame, which includes</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p><i>a plate motion model, is 2001.0. (G indicates that the coordinates were obtained through Global Positioning System (GPS) techniques, and the number following G indicates the GPS week when these coordinates were implemented in the United States' National Geospatial-Intelligence Agency's precise ephemeris estimation process.)</i></p> <p><i>Note 2.— The set of geodetic coordinates of globally distributed permanent GPS tracking stations for the most recent realization of the WGS-84 reference frame (WGS-84 (G1150)) is provided in Doc 9674. For each permanent GPS tracking station, the accuracy of an individually estimated position in WGS-84 (G1150) has been in the order of 1 cm (1σ).</i></p> <p><i>Note 3.— Another precise worldwide terrestrial coordinate system is the International Earth Rotation Service (IERS) Terrestrial Reference System (ITRS), and the realization of ITRS is the IERS Terrestrial Reference Frame (ITRF). Guidance material regarding the ITRS is provided in Appendix C of Doc 9674. The most current realization of WGS-84 (G1150) is referenced to the ITRF 2000 epoch. WGS-84 (G1150) is consistent with ITRF 2000 and in practical realization the difference between these two systems is in the one to two centimetre range worldwide, meaning WGS-84 (G1150) and ITRF 2000 are essentially identical.</i></p>									
1.2.2.1	1.2.2 Vertical reference system	Regulation (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>1.2.2.1 Mean sea level (MSL) datum shall be used as the vertical reference system for international air navigation.</p> <p><i>Note 1.— The geoid globally most closely approximates MSL. It is defined as the equipotential surface in the gravity field of the Earth which coincides with the undisturbed MSL extended continuously through the continents.</i></p> <p><i>Note 2.— Gravity-related heights (elevations) are also referred to as orthometric heights while distances of points above the ellipsoid are referred to as ellipsoidal heights.</i></p>	2017/373, Annex III, ATM/ANS.O R.A.090 (b)								
1.2.2.2	1.2.2.2 The Earth Gravitational Model — 1996 (EGM-96) shall be used as the global gravity model for international air navigation.	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.A.090, AMC1 ATM/ANS.O R.A.090(b), para (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.2.2.3	1.2.2.3 At those geographical positions where the accuracy of EGM-96 does not meet the accuracy requirements for elevation and geoid undulation on the basis of EGM-96 data, regional, national or local geoid models containing high resolution (short wavelength) gravity field data shall be developed and used. When a geoid model other than the EGM-96 model is used, a	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.A.090, AMC1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has been transposed in a manner that does	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>description of the model used, including the parameters required for height transformation between the model and EGM-96, shall be provided in the Aeronautical Information Publication (AIP).</p> <p><i>Note.— Specifications concerning determination and reporting (accuracy of field work and data integrity) of elevation and geoid undulation at specific positions at aerodromes/heliports are given in the PANS-AIM (Doc 10066), Appendix 1.</i></p>	ATM/ANS.O R.A.090(b), para (b)							not specify when a geoid model, other than EGM 96, may be used	
1.2.3.1	<p>1.2.3 Temporal reference system</p> <p>1.2.3.1 The Gregorian calendar and Coordinated Universal Time (UTC) shall be used as the temporal reference system for international air navigation.</p> <p><i>Note 1.— A value in the time domain is a temporal position measured relative to a temporal reference system.</i></p> <p><i>Note 2.— UTC is a time scale maintained by the Bureau International de l'Heure and the IERS and forms the basis of a coordinated dissemination of standard frequencies and time signals.</i></p> <p><i>Note 3.— Guidance material relating to UTC is contained in Attachment D of Annex 5 — Units of Measurement to be Used in Air and Ground Operations.</i></p> <p><i>Note 4.— ISO Standard 8601* specifies the use of the Gregorian calendar and 24-hour local or UTC for</i></p>	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.A.090 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>information interchange while ISO Standard 19108* prescribes the Gregorian calendar and UTC as the primary temporal reference system for use with geographic information.</i>									
1.2.3.2	<p>1.2.3.2 When a different temporal reference system is used for some applications, the feature catalogue, or the metadata associated with an application schema or a data set, as appropriate, shall include either a description of that system or a citation for a document that describes that temporal reference system.</p> <p><i>Note.— ISO Standard 19108*, Annex D, describes some aspects of calendars that may have to be considered in such a description.</i></p> <p>-----</p> <p>* ISO Standard 8601 — <i>Data elements and interchange formats — Information interchange — Representation of dates and times</i> 9000 — <i>Quality Management Systems — Fundamentals and Vocabulary</i> 19101 — <i>Geographic information — Reference model</i> 19104 — <i>Geographic information — Terminology</i> 19108 — <i>Geographic information — Temporal schema</i> 19109 — <i>Geographic information — Rules for application schema</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		In the EU the Gregorian calendar and UTC are used as temporal reference systems

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes							Signi ficant Differ ence
				Level of implementation of SARPs							
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented					

	<i>19110 — Geographic information — Feature cataloguing schema</i> <i>19115 — Geographic information — Metadata</i> <i>19117 — Geographic information — Portrayal</i> <i>19131 — Geographic information — Data product specification</i>									
1.3.1	1.3 Miscellaneous specifications 1.3.1 Aeronautical information products intended for international distribution shall include English text for those parts expressed in plain language.	Regulation (EU) 2017/373, Annex VI, AIS.TR.300 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.3.2	1.3.2 Place names shall be spelt in conformity with local usage, transliterated, when necessary, into the ISO-Basic Latin alphabet.	Regulation (EU) 2017/373, Annex VI, AIS.TR.300 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
1.3.3	1.3.3 Recommendation. — <i>Units of measurement used in the origination, processing and distribution of aeronautical data and aeronautical information should be consistent with the decision taken by the State in respect of the use of the tables contained in Annex 5.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
1.3.4	1.3.4 ICAO abbreviations shall be used in aeronautical information products whenever they are appropriate and their use will facilitate distribution of aeronautical data and aeronautical information.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has been transposed in a	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

									manner that does not specify the conditions for the use of ICAO abbreviations	
2.1.1	<p>CHAPTER 2. RESPONSIBILITIES AND FUNCTIONS</p> <p>2.1 State responsibilities</p> <p>2.1.1 Each Contracting State shall:</p> <p>a) provide an aeronautical information service (AIS); or</p> <p>b) agree with one or more other Contracting State(s) for the provision of a joint service; or</p> <p>c) delegate the authority for the provision of the service to a non-governmental agency, provided the Standards and Recommended Practices of this Annex are adequately met.</p>	Regulation (EU) 2017/373, Article 1 and 3 (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2.1.2	2.1.2 Each Contracting State shall ensure that the provision of aeronautical data and aeronautical information covers its own territory and those areas over	Regulation (EU) 2017/373,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	the high seas for which it is responsible for the provision of air traffic services (ATS).	Annex VI, AIS.OR.105								
2.1.3	2.1.3 The State concerned shall remain responsible for the aeronautical data and aeronautical information provided in accordance with 2.1.2. Aeronautical data and aeronautical information provided for and on behalf of a State shall clearly indicate that they are provided under the authority of that State, irrespective of the format in which they are provided.	Regulation (EU) 2017/373, Annex VI, AIS.OR.105	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The first sentence of the standard has not been transposed.	
2.1.4	2.1.4 Each Contracting State shall ensure that the aeronautical data and aeronautical information provided are of required quality in accordance with 3.2.	Regulation (EU) 2017/373, Annex II ATM/ANS.A R.A.005 (a); Annex VI and AIS.OR.200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Reg 2017/373, Annex VI contains the requirements of paragraph 3.2 and AIS providers are subject to certification and oversight by the

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										designated competent authority, in accordance with the Annex II of the same Regulation.
2.1.5	<p>2.1.5 Each Contracting State shall ensure that formal arrangements are established between originators of aeronautical data and aeronautical information and the AIS in relation to the timely and complete provision of aeronautical data and aeronautical information.</p> <p><i>Note.— The scope of aeronautical data and aeronautical information that would be the subject of formal arrangements is specified in Chapter 4.</i></p>	Regulation (EU) 2017/373, Annex II ATM/ANS.A R.A.005; Annex VI AIS.OR.205	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Reg 2017/373 Annex II and VI contain requirements for formal arrangements between ATM/ANS organisations. Reg.

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										(EU) 139/2014 Annex IV contains requirements for aerodrome operators. All organisations are subject to certification and oversight
2.2.1	<p>2.2 AIS responsibilities and functions</p> <p>2.2.1 An AIS shall ensure that aeronautical data and aeronautical information necessary for the safety, regularity and efficiency of air navigation are made available in a form suitable for the operational requirements of the air traffic management (ATM) community, including:</p> <p>a) those involved in flight operations, including flight crews, flight planning and flight simulators; and</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.105	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has been transposed in a manner that does not take into account all the elements	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>b) the ATS unit responsible for flight information service and the services responsible for pre-flight information.</p> <p><i>Note.— A description of the ATM community is contained in the Global Air Traffic Management Operational Concept (Doc 9854).</i></p>								of the ATM community .	
2.2.2	<p>2.2.2 An AIS shall receive, collate or assemble, edit, format, publish/store and distribute aeronautical data and aeronautical information concerning the entire territory of the State as well as those areas over the high seas for which the State is responsible for the provision of ATS. Aeronautical data and aeronautical information shall be provided as aeronautical information products.</p> <p><i>Note.— An AIS may include origination functions.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.105	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Aeronautical data and aeronautical information are not explicitly required to be provided as aeronautical information products.	
2.2.3	<p>2.2.3 Where 24-hour service is not provided, service shall be available during the whole period an aircraft is in flight in the area of responsibility of the AIS, plus a period of at least two hours before and after such a period. Service shall also be available at such other time</p>	Regulation (EU) 2017/373, Annex VI,	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Provision of 24- hour NOTAM origination /issuance	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	as may be requested by an appropriate ground organization.	AIS.OR.105							and pre-flight information is ensured.	
2.2.4	<p>2.2.4 An AIS shall, in addition, obtain aeronautical data and aeronautical information to enable it to provide pre-flight information service and to meet the need for in-flight information:</p> <p>a) from the AIS of other States; and</p> <p>b) from other sources that may be available.</p> <p><i>Note.— One such source is the subject of a provision in 5.6.</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has been transposed as guidance material (GM1 AIS.OR.10 5(3))	
2.2.5	<p>2.2.5 Aeronautical data and aeronautical information obtained under 2.2.4 a) shall, when distributed, be clearly identified as having the authority of the originating State.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	
2.2.6	<p>2.2.6 Aeronautical data and aeronautical information obtained under 2.2.4 b) shall, if possible, be verified before distribution and if not verified shall, when distributed, be clearly identified as such.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

2.2.7	2.2.7 An AIS shall promptly make available to the AIS of other States any aeronautical data and aeronautical information necessary for the safety, regularity or efficiency of air navigation required by them, to enable them to comply with 2.2.1.	Regulation (EU) 2017/373, Annex VI, AIS.OR.105	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2.3.1	2.3 Exchange of aeronautical data and aeronautical information 2.3.1 Each Contracting State shall designate the office to which all elements of aeronautical information products provided by other States shall be addressed. Such an office shall be qualified to deal with requests for aeronautical data and aeronautical information provided by other States.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	
2.3.2	2.3.2 Recommendation. — <i>Formal arrangements should be established between those parties providing aeronautical data and aeronautical information on behalf of the States and their users in relation to the provision of the service.</i> <i>Note.— Guidance material on such formal arrangements is contained in the Aeronautical Information Services Manual (Doc 8126).</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
2.3.3	2.3.3 Where more than one international NOTAM office is designated within a State, the extent of responsibility and the territory covered by each office shall be defined.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

									transposed	
2.3.4	2.3.4 An AIS shall arrange, as necessary, to satisfy operational requirements for the issuance and receipt of NOTAM distributed by telecommunication.	Regulation (EU) 2017/373, Annex VI, AIS.OR.400 (e)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2.3.5	2.3.5 Wherever practicable, direct contact between AIS shall be established in order to facilitate the international exchange of aeronautical data and aeronautical information.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	
2.3.6	2.3.6 Except as provided in 2.3.8, one copy of each of the following aeronautical information products (where available) that have been requested by the AIS of a Contracting State shall be made available by the originating State and provided in the mutually agreed form(s), without charge, even where authority for publication/storage and distribution has been delegated to a non-governmental agency: a) Aeronautical Information Publication (AIP), including Amendments and Supplements; b) Aeronautical Information Circulars (AIC);		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	c) NOTAM; and d) aeronautical charts.									
2.3.7	2.3.7 Recommendation. — <i>The exchange of more than one copy of the elements of aeronautical information products, and other air navigation documents, including those containing air navigation legislation and regulations, should be subject to bilateral agreement between the participating Contracting States and entities.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
2.3.8	2.3.8 When aeronautical data and aeronautical information are provided in the form of digital data sets to be used by the AIS, they shall be provided on the basis of agreement between the Contracting States concerned. <i>Note.— The intention is that States are able to access data for the purposes specified in 2.2.4.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	Note: Data sets are covered in AIS.OR. 335 to AIS.OR. 370 and related AIS.TR.
2.3.9	2.3.9 Recommendation. — <i>The procurement of aeronautical data and aeronautical information, including the elements of aeronautical information products, and other air navigation documents, including those containing air navigation legislation and regulations, by States other than Contracting States and by other entities should be subject to separate agreement between the participating States and entities.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

2.3.10	<p>2.3.10 Globally interoperable aeronautical data and aeronautical information exchange models shall be used for the provision of data sets.</p> <p><i>Note 1.— Specifications concerning globally interoperable aeronautical data and aeronautical information exchange models are contained in the Procedures for Air Navigation Services — Aeronautical Information Management (PANS-AIM, Doc 10066).</i></p> <p><i>Note 2.— Guidance material on globally interoperable aeronautical data and aeronautical information exchange models is contained in Doc 8126.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.210	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
2.4.1	<p>2.4 Copyright</p> <p><i>Note.— In order to protect the investment in the products of a State's AIS as well as to ensure better control of their use, States may wish to apply copyright to those products in accordance with their national laws.</i></p> <p>2.4.1 Any aeronautical information product which has been granted copyright protection by the originating State and provided to another State in accordance with 2.3 shall only be made available to a third party on the condition that the third party is made aware that the product is copyright protected and</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The standard falls outside the EU remit with regard to aviation safety. This provision

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	provided that it is appropriately annotated that the product is subject to copyright by the originating State.									concerns protection of intellectual property
2.4.2	2.4.2 When aeronautical data and aeronautical information are provided to a State in accordance with 2.3.8, the receiving State shall not provide the digital data sets of the providing State to any third party without the consent of the providing State.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		The standard falls outside the EU remit with regard to aviation safety. This provision concerns protection of intellectual property
2.5.1	2.5 Cost recovery Recommendation. — <i>The overhead cost of collecting and compiling aeronautical data and</i>	Regulation (EU) 2019/317	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Regulation (EU) 2019/317 lays

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p><i>aeronautical information should be included in the cost basis for airport and air navigation services charges, as appropriate, in accordance with the principles contained in ICAO's Policies on Charges for Airports and Air Navigation Services (Doc 9082).</i></p> <p><i>Note.— When costs of collection and compilation of aeronautical data and aeronautical information are recovered through airport and air navigation services charges, the charge to an individual customer for the supply of a particular aeronautical information product may be based on the costs of printing paper copies, production of electronic media and distribution.</i></p>									down a performance and charging scheme in the Single European Sky.
3.1	<p>CHAPTER 3. AERONAUTICAL INFORMATION MANAGEMENT</p> <p>3.1 Information management requirements</p> <p>The information management resources and processes established by an aeronautical information service (AIS) shall be adequate to ensure the timely collection, processing, storing, integration, exchange and delivery of quality-assured aeronautical data and aeronautical</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.100	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	information within the air traffic management (ATM) system.									
3.2.1	<p>3.2 Data quality specifications</p> <p>3.2.1 Data accuracy</p> <p>The order of accuracy for aeronautical data shall be in accordance with its intended use.</p> <p><i>Note.— Specifications concerning the order of accuracy (including confidence level) for aeronautical data are contained in the Procedures for Air Navigation Services — Aeronautical Information Management (PANS-AIM, Doc 10066), Appendix 1.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.200 (a) and ATM/ANS.OR.A.085 (b)(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.2.2	<p>3.2.2 Data resolution</p> <p>The order of resolution of aeronautical data shall be commensurate with the actual data accuracy.</p> <p><i>Note 1.— Specifications concerning the resolution of aeronautical data are contained in the PANS-AIM (Doc 10066), Appendix 1.</i></p> <p><i>Note 2.— The resolution of the data contained in the database may be the same or finer than the publication resolution.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.200 (b) and ATM/ANS.OR.A.085 (b)(4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

3.2.3.1	<p>3.2.3 Data integrity</p> <p>3.2.3.1 The integrity of aeronautical data shall be maintained throughout the data chain from origination to distribution to the next intended user.</p> <p><i>Note.— Specifications concerning the integrity classification related to aeronautical data are contained in the PANS-AIM (Doc 10066), Appendix 1.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.200 (c) and ATM/ANS.O R.A.085 (b)(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.2.3.2	<p>3.2.3.2 Based on the applicable integrity classification, procedures shall be put in place in order to:</p> <p>a) for routine data: avoid corruption throughout the processing of the data;</p> <p>b) for essential data: assure corruption does not occur at any stage of the entire process and include additional processes as needed to address potential risks in the overall system architecture to further assure data integrity at this level; and</p> <p>c) for critical data: assure corruption does not occur at any stage of the entire process and include additional integrity assurance processes to fully mitigate the effects of faults identified by thorough analysis of the overall system architecture as potential data integrity risks.</p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.200 (c) and ATM/ANS.O R.A.085 (b)(3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

3.2.4	<p>3.2.4 Data traceability</p> <p>Traceability of aeronautical data shall be ensured and retained as long as the data is in use.</p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.200 (d) ; AMC1 AIS.TR.200(d) and ATM/ANS.OR.A.085 (b)(5)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Aeronautical data and associated metadata should be kept for a minimum period of 5 years beyond the validity period of the associated aeronautical information	
3.2.5	<p>3.2.5 Data timeliness</p> <p>Timeliness of aeronautical data shall be ensured by including limits on the effective period of the data elements.</p> <p><i>Note 1.— These limits may be associated with individual data elements or data sets.</i></p> <p><i>Note 2.— If the effective period is defined for a data set, it will account for the effective dates of all of the individual data elements.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.200 (e) and ATM/ANS.OR.A.085 (b)(6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

3.2.6	3.2.6 Data completeness Completeness of aeronautical data shall be ensured in order to support its intended use.	Regulation (EU) 2017/373, Annex VI, AIS.TR.200 (f) and ATM/ANS.O R.A.085 (b)(7)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.2.7	3.2.7 Data format The format of delivered aeronautical data shall be adequate to ensure that the data is interpreted in a manner that is consistent with its intended use.	Regulation (EU) 2017/373, Annex VI, AIS.TR.200 (g) and ATM/ANS.O R.A.085 (b)(8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.3.1	3.3 Aeronautical data and aeronautical information verification and validation 3.3.1 Material to be issued as part of an aeronautical information product shall be thoroughly checked before it is submitted to the AIS in order to ensure that all necessary information has been included and that it is correct in detail.	Regulation (EU) 2017/373, Article 3 para 5, Annex III, ATM/ANS.O R.A.085 (a); Regulation (EU) 139/2014 Annex IV, ADR.OPS.A.030	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

3.3.2	3.3.2 An AIS shall establish verification and validation procedures which ensure that upon receipt of aeronautical data and aeronautical information, quality requirements are met.	Regulation (EU) 2017/373, Annex VI, AIS.OR.220 and AIS.TR.220	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.4.1	3.4 Data error detection 3.4.1 Digital data error detection techniques shall be used during the transmission and/or storage of aeronautical data and digital data sets.	Regulation (EU) 2017/373, Annex VI, AIS.OR.230 (a) and ATM/ANS.OR.A.085 (j)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.4.2	3.4.2 Digital data error detection techniques shall be used in order to maintain the integrity levels as specified in 3.2.3. <i>Note.— Detailed specifications concerning digital data error detection techniques are contained in the PANS-AIM (Doc 10066).</i>	Regulation (EU) 2017/373, Annex VI, AIS.OR.230 (a) and ATM/ANS.OR.A.085 (j)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.5.1	3.5 Use of automation 3.5.1 Automation shall be applied in order to ensure the quality, efficiency and cost-effectiveness of aeronautical information services.	Regulation (EU) 2017/373, Annex VI, AIS.OR.200 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>Note.— Guidance material on the development of databases and the establishment of data exchange services is contained in Doc 8126.</i>									
3.5.2	<p>3.5.2 Due consideration to the integrity of data and information shall be given when automated processes are implemented and mitigating steps taken where risks are identified.</p> <p><i>Note.— Risks of altering the integrity of data and information may be introduced by automated processes in cases of unexpected systems behaviours.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.105, AIS.OR.200 (c), AMC1 AIS.OR.200(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.5.3	<p>3.5.3 In order to meet the data quality requirements, automation shall:</p> <p>a) enable digital aeronautical data exchange between the parties involved in the data processing chain; and</p> <p>b) use aeronautical information exchange models and data exchange models designed to be globally interoperable.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.210	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.6.1	<p>3.6 Quality management system</p> <p>3.6.1 Quality management systems shall be implemented and maintained encompassing all functions of an AIS, as outlined in 2.2. The execution of such</p>	Regulation (EU) 2017/373, Annex III, ATM/ANS.OR.B.005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	quality management systems shall be made demonstrable for each function stage. <i>Note.— Guidance material is contained in the Manual on the Quality Management System for Aeronautical Information Services (Doc 9839) (planned for development by November 2019).</i>									
3.6.2	3.6.2 Recommendation.— <i>Quality management should be applicable to the whole aeronautical data chain from data origination to distribution to the next intended user, taking into consideration the intended use of data.</i>	Regulation (EU) 2017/373, Annex III, ATM/ANS.OR.B.005; Regulation (EU) 139/2014, Annex IV, ADR.OR.D.007	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		States need to take also into account the national provisions with regard to aerodromes which do not fall into the scope of Regulation (EU) 2018/1139
3.6.3	3.6.3 Recommendation.— <i>The quality management system established in accordance with 3.6.1</i>	Regulation (EU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>should follow the ISO 9000 series of quality assurance standards and be certified by an accredited certification body.</i>	2017/373, Annex III, ATM/ANS.O R.B.005, AMC1 ATM/ANS.O R.B.005(a)								
3.6.4	3.6.4 Within the context of the established quality management system, the competencies and the associated knowledge, skills and abilities required for each function shall be identified, and personnel assigned to perform those functions shall be appropriately trained. Processes shall be in place to ensure that personnel possess the competencies required to perform specific assigned functions. Appropriate records shall be maintained so that the qualifications of personnel can be confirmed. Initial and periodic assessments shall be established that require personnel to demonstrate the required competencies. Periodic assessments of personnel shall be used as a means to detect and correct shortfalls in knowledge, skills and abilities.	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.B.005(a)(6) ; AMC1 ATM/ANS.O R.B.005(a)(6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.6.5	3.6.5 Each quality management system shall include the necessary policies, processes and procedures, including those for the use of metadata, to ensure and verify that aeronautical data is traceable throughout the aeronautical information data chain so as to allow any data anomalies or errors detected in use to be identified by root cause, corrected and communicated to affected users.	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.B.005 (a)(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

3.6.6	3.6.6 The established quality management system shall provide users with the necessary assurance and confidence that distributed aeronautical data and aeronautical information satisfy the aeronautical data quality requirements.	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.B.005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.6.7	3.6.7 All necessary measures shall be taken to monitor compliance with the quality management system in place.	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.B.005, AMC1 ATM/ANS.O R.B.005(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.6.8	3.6.8 Demonstration of compliance of the quality management system applied shall be by audit. If nonconformity is identified, initiating action to correct its cause shall be determined and taken without undue delay. All audit observations and remedial actions shall be evidenced and properly documented.	Regulation (EU) 2017/373, Annex III, ATM/ANS.O R.B.005, AMC1 ATM/ANS.O R.B.005(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3.7.1	3.7 Human factors considerations 3.7.1 The organization of an AIS as well as the design, contents, processing and distribution of aeronautical data and aeronautical information shall take		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	into consideration human factors principles which facilitate their optimum utilization.								transposed	
3.7.2	<p>3.7.2 Due consideration shall be given to the integrity of information where human interaction is required and mitigating steps taken where risks are identified.</p> <p><i>Note.— This may be accomplished through the design of systems, operating procedures or improvements in the operating environment.</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	
4.1.1	<p>CHAPTER 4. SCOPE OF AERONAUTICAL DATA AND AERONAUTICAL INFORMATION</p> <p><i>Note.— The scope of aeronautical data and aeronautical information provides the minimum requirement to support aeronautical information products and services, aeronautical navigation data bases, air navigation applications and air traffic management (ATM) systems.</i></p> <p>4.1 Scope of aeronautical data and aeronautical information</p>	Regulation (EU) 2017/373, Annex VI AIS.OR.200, and Appendix 1 to Annex III (Part-ATM/ANS.OR)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The transposed aeronautical data catalogue does not contain case a)	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>4.1.1 The aeronautical data and aeronautical information to be received and managed by the aeronautical information service (AIS) shall include at least the following sub-domains:</p> <ul style="list-style-type: none"> a) national regulations, rules and procedures; b) aerodromes and heliports; c) airspace; d) air traffic services (ATS) routes; e) instrument flight procedures; f) radio navigation aids/systems; g) obstacles; h) terrain; and i) geographic information. <p><i>Note 1.— Detailed specifications concerning the content of each sub-domain are contained in the Procedures for Air Navigation Services — Aeronautical Information Management (PANS-AIM, Doc 10066), Appendix 1.</i></p>									
--	---	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>Note 2.— Aeronautical data and aeronautical information in each sub-domain may be originated by more than one organization or authority.</i>									
4.1.2	<p>4.1.2 Determination and reporting of aeronautical data shall be in accordance with the accuracy and integrity classification required to meet the needs of the end-user of aeronautical data.</p> <p><i>Note.— Specifications concerning the accuracy and integrity classification related to aeronautical data are contained in the PANS-AIM (Doc 10066), Appendix I.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.2.1	<p>4.2 Metadata</p> <p>4.2.1 Metadata shall be collected for aeronautical data processes and exchange points.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.225 and AIS.TR.225 and ATM/ANS.OR.A.085 (h)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.2.2	<p>4.2.2 Metadata collection shall be applied throughout the aeronautical information data chain, from origination to distribution to the next intended user.</p> <p><i>Note.— Detailed specifications concerning metadata are contained in the PANS-AIM (Doc 10066).</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.225 and AIS.TR.225	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

		and ATM/ANS.O R.A.085 (h)								
5.1.1	CHAPTER 5. AERONAUTICAL INFORMATION PRODUCTS AND SERVICES 5.1 General 5.1.1 Aeronautical information shall be provided in the form of aeronautical information products and associated services. <i>Note.— Specifications concerning the order of resolution of aeronautical data provided for each aeronautical information product are contained in the Procedures for Air Navigation Services — Aeronautical Information Management (PANS-AIM, Doc 10066), Appendix 1.</i>	Regulation (EU) 2017/373, Appendix 1 to Annex II, Annex VI Section 3 and 4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU framework describes the aeronautic al products and services to be provided, without transposin g explicitly this provision	
5.1.2	5.1.2 When aeronautical data and aeronautical information are provided in multiple formats, processes shall be implemented to ensure data and information consistency between formats.	Regulation (EU) 2017/373, Annex VI, AIS.OR.300	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.2.1	5.2 Aeronautical information in a standardized presentation	Regulation (EU) 2017/373,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Transpose d through expanded	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>5.2.1 Aeronautical information provided in a standardized presentation shall include the aeronautical information publication (AIP), AIP Amendments, AIP Supplements, AIC, NOTAM and aeronautical charts.</p> <p><i>Note 1.— Detailed specifications about AIP, AIP Amendments, AIP Supplements, AIC and NOTAM are contained in the PANS-AIM (Doc 10066).</i></p> <p><i>Note 2.— Cases where digital data sets may replace the corresponding elements of the standardized presentation are detailed in the PANS-AIM (Doc 10066).</i></p>	Annex VI, AIS.OR.305 to AIS.OR.330							rule structure stemming from relevant provisions from PANS-AIM	
5.2.1.1	5.2.1.1 The AIP, AIP Amendment, AIP Supplement and AIC shall be provided on paper and/or as an electronic document.	Regulation (EU) 2017/373, Annex VI, AIS.TR.305 (a), AIS.TR.320 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.2.1.2	5.2.1.2 Recommendation. — <i>The AIP, AIP Amendment, AIP Supplement and AIC when provided as an electronic document (eAIP) should allow for both displaying on electronic devices and printing on paper.</i>	Regulation (EU) 2017/373, Annex VI, AIS.TR.305 (a), AIS.TR.320 (a), AMC1 AIS.TR.305(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

5.2.2	<p>5.2.2 Aeronautical Information Publication</p> <p><i>Note 1.— The AIP is intended primarily to satisfy international requirements for the exchange of aeronautical information of a lasting character essential to air navigation.</i></p> <p><i>Note 2.— The AIP constitutes the basic information source for permanent information and long duration temporary changes.</i></p> <p>AIP shall include:</p> <p>a) a statement of the competent authority responsible for the air navigation facilities, services or procedures covered by the AIP;</p> <p>b) the general conditions under which the services or facilities are available for international use;</p> <p>c) a list of significant differences between the national regulations and practices of the State and the related ICAO Standards, Recommended Practices and Procedures, given in a form that would enable a user to differentiate readily between the requirements of the State and the related ICAO provisions;</p> <p>d) the choice made by a State in each significant case where an alternative course of action is provided for ICAO Standards, Recommended Practices and Procedures.</p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.305 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
-------	---	--	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

5.2.3	<p>5.2.3 AIP Supplement</p> <p>A checklist of valid AIP Supplements shall be regularly provided.</p> <p><i>Note.— Detailed specifications concerning the frequency for providing checklists of valid AIP Supplements are contained in the PANS-AIM (Doc 10066).</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.315(e)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU regulatory framework is more precise as it includes the relevant provisions from PANS-AIM	
5.2.4.1	<p>5.2.4 Aeronautical Information Circulars</p> <p>5.2.4.1 An AIC shall be used to provide:</p> <p>a) a long-term forecast of any major change in legislation, regulations, procedures or facilities; or</p> <p>b) information of a purely explanatory or advisory nature liable to affect flight safety; or</p> <p>c) information or notification of an explanatory or advisory nature concerning technical, legislative or purely administrative matters.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.320	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU regulatory framework requires also the review, once a year, of the validity of an AIC in force, in accordance with relevant provisions from PANS-AIM	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

5.2.4.2	5.2.4.2 An AIC shall not be used for information that qualifies for inclusion in AIP and NOTAM.	Regulation (EU) 2017/373, Annex VI, AIS.TR.320 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.2.4.3	5.2.4.3 The validity of AIC currently in force shall be reviewed at least once a year.	Regulation (EU) 2017/373, Annex VI, AIS.OR.320	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.2.4.4	5.2.4.4 A checklist of currently valid AIC shall be regularly provided. <i>Note.— Detailed specifications concerning the frequency for providing checklists of valid AIC are contained in the PANS-AIM (Doc 10066).</i>	Regulation (EU) 2017/373, Annex VI, AIS.TR.320 (h)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.2.5.1	5.2.5 Aeronautical charts <i>Note.— Annex 4 — Aeronautical Charts provides Standards and Recommended Practices including provision requirements for each chart type.</i> 5.2.5.1 The aeronautical charts listed below shall, when available for designated international aerodromes/heliports, form part of the AIP, or be provided separately to recipients of the AIP:	Regulation (EU) 2017/373, Annex VI, AIS.OR.325 (a)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The Aerodrome Terrain and Obstacle Chart — ICAO (Electronic) chart is not required to	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	a) Aerodrome/Heliport Chart — ICAO; b) Aerodrome Ground Movement Chart — ICAO; c) Aerodrome Obstacle Chart — ICAO Type A; d) Aerodrome Obstacle Chart — ICAO Type B (when available); e) Aerodrome Terrain and Obstacle Chart — ICAO (Electronic); f) Aircraft Parking/Docking Chart — ICAO; g) Area Chart — ICAO; h) ATC Surveillance Minimum Altitude Chart — ICAO; i) Instrument Approach Chart — ICAO; j) Precision Approach Terrain Chart — ICAO; k) Standard Arrival Chart — Instrument (STAR) — ICAO; l) Standard Departure Chart — Instrument (SID) — ICAO; and								be provided. In addition the ICAO type B chart, is required to be provided as aeronautical information products and not as part of AIP or separately to recipients of AIP	
--	--	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>m) Visual Approach Chart — ICAO.</p> <p><i>Note.— A page pocket may be used in the AIP to include the Aerodrome Terrain and Obstacle Chart — ICAO (Electronic) on appropriate electronic media.</i></p>									
5.2.5.2	<p>5.2.5.2 The Enroute Chart — ICAO shall, when available, form part of the AIP, or be provided separately to recipients of the AIP.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.325 (a) (12)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.2.5.3	<p>5.2.5.3 The aeronautical charts listed below shall, when available, be provided as aeronautical information products:</p> <p>a) World Aeronautical Chart — ICAO 1:1 000 000;</p> <p>b) Aeronautical Chart — ICAO 1:500 000;</p> <p>c) Aeronautical Navigation Chart — ICAO Small Scale; and</p> <p>d) Plotting Chart — ICAO chart.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.325 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.2.5.4	<p>5.2.5.4 Recommendation.— <i>Electronic aeronautical charts should be provided based on digital databases and the use of geographic information systems.</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										been transpos ed
5.2.5.5	<p>5.2.5.5 The chart resolution of aeronautical data shall be that as specified for a particular chart.</p> <p><i>Note.— Specifications concerning the chart resolution for aeronautical data are contained in the PANS-AIM (Doc 10066), Appendix 1.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.325 AMC1 AIS.OR.325	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.2.6	<p>5.2.6 NOTAM</p> <p><i>Note.— Detailed specifications for NOTAM, including formats for SNOWTAM and ASHTAM, are contained in the PANS-AIM (Doc 10066).</i></p> <p>A checklist of valid NOTAM shall be regularly provided.</p> <p><i>Note.— Detailed specifications concerning the frequency for providing checklists of valid NOTAM are contained in the PANS-AIM (Doc 10066).</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.330 (s)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.1.1	<p>5.3 Digital data sets</p> <p>5.3.1 General</p> <p>5.3.1.1 Digital data shall be in the form of the following data sets:</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.335	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The EU regulatory framework foresees also that " When	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	a) AIP data set; b) terrain data sets; c) obstacle data sets; d) aerodrome mapping data sets; and e) instrument flight procedure data sets. <i>Note.— Detailed specifications concerning the content of the digital data sets are contained in the PANS-AIM (Doc 10066).</i>								made available, terrain data shall be provided in the form of terrain data sets. A checklist of valid data sets shall be regularly provided."	
5.3.1.2	5.3.1.2 Each data set shall be provided to the next intended user together with at least the minimum set of metadata that ensures traceability. <i>Note.— Detailed specifications concerning metadata are contained in the PANS-AIM (Doc 10066).</i>	Regulation (EU) 2017/373, Annex VI, AIS.OR.340	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.1.3	5.3.1.3 A checklist of valid data sets shall be regularly provided.	Regulation (EU) 2017/373, Annex VI, AIS.OR.335	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.2.1	5.3.2 AIP data set	Regulation (EU) 2017/373, Annex VI,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	5.3.2.1 Recommendation. — <i>An AIP data set should be provided covering the extent of information as provided in the AIP.</i>	AIS.OR.345								
5.3.2.2	5.3.2.2 Recommendation. — <i>When it is not possible to provide a complete AIP data set, the data subset(s) that are available should be provided.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
5.3.2.3	5.3.2.3 The AIP data set shall contain the digital representation of aeronautical information of lasting character (permanent information and long duration temporary changes) essential to air navigation.	Regulation (EU) 2017/373, Annex VI, AIS.OR.345	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.3.1	5.3.3 Terrain and obstacle data sets <i>Note 1.— Numerical requirements for terrain and obstacle data sets are contained in the PANS AIM (Doc 10066), Appendices 1 and 8.</i> <i>Note 2.— Requirements for terrain and obstacle data collection surfaces are contained in the PANS-AIM (Doc 10066), Appendix 8.</i> 5.3.3.1 The coverage areas for terrain and obstacle data sets shall be specified as: — Area 1: the entire territory of a State;	Regulation (EU) 2017/373, Annex VI, AIS.TR.350	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>— Area 2: within the vicinity of an aerodrome, subdivided as follows:</p> <p>— Area 2a: a rectangular area around a runway that comprises the runway strip plus any clearway that exists;</p> <p style="text-align: right;"><i>Note.— See Annex 14, Volume I, Chapter 3, for dimensions for runway strips.</i></p> <p>— Area 2b: an area extending from the ends of Area 2a in the direction of departure, with a length of 10 km and a splay of 15 per cent to each side;</p> <p>— Area 2c: an area extending outside Area 2a and Area 2b at a distance of not more than 10 km from the boundary of Area 2a; and</p> <p>— Area 2d: an area outside Areas 2a, 2b and 2c up to a distance of 45 km from the aerodrome reference point, or to an existing terminal control area (TMA) boundary, whichever is nearest;</p> <p>— Area 3: the area bordering an aerodrome movement area that extends horizontally from the edge of a runway to 90 m from the runway centre line and 50 m from the</p>									
--	---	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	edge of all other parts of the aerodrome movement area; and — Area 4: the area extending 900 m prior to the runway threshold and 60 m each side of the extended runway centre line in the direction of the approach on a precision approach runway, Category II or III.									
5.3.3.2	5.3.3.2 Recommendation. — <i>Where the terrain at a distance greater than 900 m (3 000 ft) from the runway threshold is mountainous or otherwise significant, the length of Area 4 should be extended to a distance not exceeding 2 000 m (6 500 ft) from the runway threshold.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has been transposed as guidance material
5.3.3.3.1	5.3.3.3 Terrain data sets 5.3.3.3.1 Terrain data sets shall contain the digital representation of the terrain surface in the form of continuous elevation values at all intersections (points) of a defined grid, referenced to common datum.	Regulation (EU) 2017/373, Annex VI, AIS.TR.355 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.3.3.2	5.3.3.3.2 Terrain data shall be provided for Area 1.	Regulation (EU) 2017/373, Annex VI, AIS.OR.355 (a)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has been transposed in a manner	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

									that makes data provision subject to availability of terrain data.	
5.3.3.3.3	<p>5.3.3.3.3 For aerodromes regularly used by international civil aviation, terrain data shall be provided for:</p> <p>a) Area 2a;</p> <p>b) the take-off flight path area; and</p> <p>c) an area bounded by the lateral extent of the aerodrome obstacle limitation surfaces.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.355 (b)(1);(b)(2);(b)(3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has been transposed in a manner that applies for all aerodromes; however the provision of data depends on data availability	
5.3.3.3.4	<p>5.3.3.3.4 Recommendation.— <i>For aerodromes regularly used by international civil aviation, additional terrain data should be provided within Area 2 as follows:</i></p> <p>a) <i>in the area extending to a 10-km radius from the ARP; and</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.355 (b)(2)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The provision has been transposed in a manner that

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>b) within the area between 10 km and the TMA boundary or a 45-km radius (whichever is smaller), where terrain penetrates a horizontal terrain data collection surface specified as 120 m above the lowest runway elevation.</i>									applies for all aerodromes; however the provision of data depends on data availability
5.3.3.3.5	5.3.3.3.5 Recommendation. — <i>Arrangements should be made for coordinating the provision of terrain data for adjacent aerodromes where their respective coverage areas overlap to assure that the data for the same terrain is correct.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
5.3.3.3.6	5.3.3.3.6 Recommendation. — <i>For those aerodromes located near territorial boundaries, arrangements should be made among States concerned to share terrain data.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
5.3.3.3.7	5.3.3.3.7 Recommendation. — <i>For aerodromes regularly used by international civil aviation, terrain data should be provided for Area 3.</i>	Regulation (EU) 2017/373, Annex VI, AIS.OR.355 (b)(5) ;	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has been transposed in a

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

		Regulation (EU) 139/2014 Annex IV ADR.OPS.A.005, AMC1 ADR.OPS.A005 (b)								manner that applies for all aerodromes; however the provision of data depends on data availability
5.3.3.3.8	5.3.3.3.8 For aerodromes regularly used by international civil aviation, terrain data shall be provided for Area 4 for all runways where precision approach Category II or III operations have been established and where detailed terrain information is required by operators to enable them to assess the effect of terrain on decision height determination by use of radio altimeters.	Regulation (EU) 2017/373, Annex VI, AIS.OR.355 (b)(6); Regulation (EU) 139/2014 Annex IV ADR.OPS.A.005, AMC1 ADR.OPS.A005 (e)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The provision of data depends on data availability
5.3.3.3.9	5.3.3.3.9 Recommendation. — Where additional terrain data is collected to meet other aeronautical requirements, the terrain data sets should be expanded to include this additional data.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has been

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										transpos ed as guidanc e material
5.3.3.4.1	5.3.3.4 Obstacle data sets 5.3.3.4.1 Obstacle data sets shall contain the digital representation of the vertical and horizontal extent of obstacles.	Regulation (EU) 2017/373, Annex VI, AIS.TR.360 (f)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.3.4.2	5.3.3.4.2 Obstacle data shall not be included in terrain data sets.	Regulation (EU) 2017/373, Annex VI, AIS.TR.360 (g)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.3.4.3	5.3.3.4.3 Obstacle data shall be provided for obstacles in Area 1 whose height is 100 m or higher above ground.	Regulation (EU) 2017/373, Annex VI, AIS.OR.360 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.3.4.4	5.3.3.4.4 For aerodromes regularly used by international civil aviation, obstacle data shall be provided for all obstacles within Area 2 that are assessed as being a hazard to air navigation.	Regulation (EU) 2017/373, Annex VI, AIS.OR.360 (b)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The provision applies for all aerodromes, not just	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

									those serving internation al civil aviation	
5.3.3.4.5	<p>5.3.3.4.5 For aerodromes regularly used by international civil aviation, obstacle data shall be provided for:</p> <p>a) Area 2a for those obstacles that penetrate an obstacle data collection surface outlined by a rectangular area around a runway that comprises the runway strip plus any clearway that exists. The Area 2a obstacle collection surface shall have a height of 3 m above the nearest runway elevation measured along the runway centre line, and for those portions related to a clearway, if one exists, at the elevation of the nearest runway end;</p> <p>b) objects in the take-off flight path area which project above a plane surface having a 1.2 per cent slope and having a common origin with the take-off flight path area; and</p> <p>c) penetrations of the aerodrome obstacle limitation surfaces.</p> <p><i>Note.— Take-off flight path areas are specified in Annex 4, 3.8.2. Aerodrome obstacle limitation surfaces are specified in Annex 14, Volume 1, Chapter 4.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.360 (c)(1);(2) and (3); AIS.TR.350 b)(1), AIS.TR.360 c)(1)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The provision applies for all aerodromes, not just those serving international civil aviation	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

5.3.3.4.6	<p>5.3.3.4.6 Recommendation.— <i>For aerodromes regularly used by international civil aviation, obstacle data should be provided for Areas 2b, 2c and 2d for obstacles that penetrate the relevant obstacle data collection surface specified as follows:</i></p> <p><i>a) Area 2b: an area extending from the ends of Area 2a in the direction of departure, with a length of 10 km and a splay of 15 per cent to each side. The Area 2b obstacle collection surface has a 1.2 per cent slope extending from the ends of Area 2a at the elevation of the runway end in the direction of departure, with a length of 10 km and a splay of 15 per cent to each side;</i></p> <p><i>b) Area 2c: an area extending outside Area 2a and Area 2b at a distance of not more than 10 km from the boundary of Area 2a. The Area 2c obstacle collection surface has a 1.2 per cent slope extending outside Area 2a and Area 2b at a distance of not more than 10 km from the boundary of Area 2a. The initial elevation of Area 2c has the elevation of the point of Area 2a at which it commences; and</i></p> <p><i>c) Area 2d: an area outside Areas 2a, 2b and 2c up to a distance of 45 km from the aerodrome reference point, or to an existing TMA boundary, whichever is nearest. The Area 2d obstacle collection surface has a height of 100 m above ground;</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.360 (c)(4), AIS.TR.350(b)(2),(3) and (4) ; AIS.TR.360 (c)(2), (3) and (4)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The provision applies for all aerodromes, not just those serving international civil aviation
-----------	---	--	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	---

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>except that data need not be collected for obstacles less than a height of 3 m above ground in Area 2b and less than a height of 15 m above ground in Area 2c.</i>									
5.3.3.4.7	5.3.3.4.7 Recommendation. — <i>Arrangements should be made for coordinating the provision of obstacle data for adjacent aerodromes where their respective coverage areas overlap to assure that the data for the same obstacle is correct.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
5.3.3.4.8	5.3.3.4.8 Recommendation. — <i>For those aerodromes located near territorial boundaries, arrangements should be made among States concerned to share obstacle data.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
5.3.3.4.9	5.3.3.4.9 Recommendation. — <i>For aerodromes regularly used by international civil aviation, obstacle data should be provided for Area 3 for obstacles that penetrate the relevant obstacle data collection surface extending a half-metre (0.5 m) above the horizontal plane passing through the nearest point on the aerodrome movement area.</i>	Regulation (EU) 2017/373, Annex VI, AIS.OR.360 (c)(5); AIS.TR.360 (c)(5)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The provision applies for all aerodromes, not just those serving international civil

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										aviation
5.3.3.4.10	5.3.3.4.10 For aerodromes regularly used by international civil aviation, obstacle data shall be provided for Area 4 for all runways where precision approach Category II or III operations have been established.	Regulation (EU) 2017/373, Annex VI, AIS.OR.360 (c)(6)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The provision applies for all aerodromes, not just those serving international civil aviation	
5.3.3.4.11	5.3.3.4.11 Recommendation. — <i>Where additional obstacle data is collected to meet other aeronautical requirements, the obstacle data sets should be expanded to include this additional data.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has been transposed as guidance material
5.3.4.1	5.3.4 Aerodrome mapping data sets 5.3.4.1 Aerodrome mapping data sets shall contain the digital representation of aerodrome features. <i>Note.— Aerodrome features consist of attributes and geometries, which are characterized as points, lines</i>	Regulation (EU) 2017/373, Annex VI, AIS.TR.365 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>or polygons. Examples include runway thresholds, taxiway guidance lines and parking stand areas.</i>									
5.3.4.2	5.3.4.2 Recommendation. — <i>Aerodrome mapping data sets should be made available for aerodromes regularly used by international civil aviation.</i>	Regulation (EU) 2017/373, Annex VI, AIS.OR.365	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The provision applies for all aerodromes, not just those serving international civil aviation
5.3.5.1	5.3.5 Instrument flight procedure data sets 5.3.5.1 Instrument flight procedure data sets shall contain the digital representation of instrument flight procedures.	Regulation (EU) 2017/373, Annex VI, AIS.TR.370 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.3.5.2	5.3.5.2 Recommendation. — <i>Instrument flight procedure data sets should be made available for aerodromes regularly used by international civil aviation.</i>	Regulation (EU) 2017/373, Annex VI, AIS.OR.370	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The provision applies for all aerodromes, not just

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										those serving internati onal civil aviation
5.4.1.1	5.4 Distribution services 5.4.1 General 5.4.1.1 Aeronautical information products shall be distributed to authorized users who request them.	Regulation (EU) 2017/373, Annex VI, AIS.OR.400 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.4.1.2	5.4.1.2 AIP, AIP Amendments, AIP Supplements and AIC shall be made available by the most expeditious means.	Regulation (EU) 2017/373, Annex VI, AIS.OR.400 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.4.1.3	5.4.1.3 Recommendation. — <i>Global communication networks such as the Internet should, whenever practicable, be employed for the provision of aeronautical information products.</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recomm endation has been transpos ed as guidanc e material

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										(GM1 AIS.OR. 400(a) (d))
5.4.2.1	5.4.2 NOTAM distribution 5.4.2.1 NOTAM shall be distributed on the basis of a request.	Regulation (EU) 2017/373, Annex VI, AIS.OR.400 (a) and (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.4.2.2	5.4.2.2 NOTAM shall be prepared in conformity with the relevant provisions of the ICAO communication procedures.	Regulation (EU) 2017/373, Annex VI, AIS.TR.400 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.4.2.3	5.4.2.3 The aeronautical fixed service (AFS) shall, whenever practicable, be employed for NOTAM distribution.	Regulation (EU) 2017/373, Annex VI, AIS.OR.400 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.4.2.4	5.4.2.4 When a NOTAM is sent by means other than the AFS, a six-digit date-time group indicating the date and time of NOTAM origination, and the identification of the originator shall be used, preceding the text. The originating State shall select the NOTAM that are to be given international distribution.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

5.4.2.5	5.4.2.5 International exchange of NOTAM shall take place only as mutually agreed between the international NOTAM offices concerned, and between the NOTAM offices and multinational NOTAM processing units.	Regulation (EU) 2017/373, Annex VI, AIS.OR.400 (d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.4.2.6	5.4.2.6 The originating State shall, upon request, grant distribution of NOTAM series other than those distributed internationally.	Regulation (EU) 2017/373, Annex VI, AIS.TR.400 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.4.2.7	5.4.2.7 Recommendation. — <i>Selective distribution lists should be used when practicable.</i> <i>Note.— Guidance material relating to selective distribution lists is contained in the Aeronautical Information Services Manual (Doc 8126).</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has not been transposed
5.5.1	5.5 Pre-flight information service 5.5.1 For any aerodrome/heliport used for international air operations, aeronautical information relative to the route stages originating at the aerodrome/heliport shall be made available to flight operations personnel, including flight crews and services responsible for pre-flight information.	Regulation (EU) 2017/373, Annex VI, AIS.OR.405 (a)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The provision applies for all aerodromes, not just those serving international civil	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

									aviation	
5.5.2	<p>5.5.2 Aeronautical information provided for pre-flight planning purposes shall include information of operational significance from the elements of aeronautical information products.</p> <p><i>Note 1.— The elements of aeronautical information products may be limited to national publications and when practicable, those of adjacent States, provided a complete library of aeronautical information is available at a central location and means of direct communications are available with that library.</i></p> <p><i>Note 2.— A recapitulation of valid NOTAM of operational significance and other information of urgent character may be made available to flight crews in the form of plain-language pre-flight information bulletins (PIB). Guidance material on the preparation of PIB is contained in Doc 8126.</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.405 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
5.6.1	<p>5.6 Post-flight information service</p> <p>5.6.1 For any aerodrome/heliport used for international air operations, arrangements shall be made to receive information concerning the state and operation of air navigation facilities or services noted by flight crews.</p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	States to take also into account their national requirements regarding

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										g aerodro mes/heli ports not falling in the scope of the EU regulato ry framewo rk
5.6.2	5.6.2 The arrangements specified in 5.6.1 shall ensure that such information is made available to the aeronautical information service (AIS) for distribution as the circumstances necessitate.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been transposed	States to take also into account their national require ments regardin g aerodro mes/heli ports not falling in the scope of the EU regulato ry

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

										framework
5.6.3	5.6.3 For any aerodrome/heliport used for international air operations, arrangements shall be made to receive information concerning the presence of wildlife hazards observed by flight crews.	Reg. (EU) 139/2014, Annex III, ADR.OR.D.030 (a);(b), AMC1 ADR.OR.D.030 para (b)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been fully transposed	States to take also into account their national requirements regarding aerodromes/heliports not falling in the scope of the EU regulatory framework
5.6.4	5.6.4 The information about presence of wildlife hazards shall be made available to the aeronautical information service for distribution as the circumstances necessitate. <i>Note.— See Annex 14, Volume I, Chapter 9, Section 9.4.</i>	Reg. (EU) 139/2014, Annex III, ADR.OR.E.005 and AMC3 ADR.OR.E.005 (a) E (17), Annex IV,	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been fully transposed. The obligation to make available	States to take also into account their national requirements regarding

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

		ADR.OPS.A. 057 (b)(17) and GM2 ADR.OPS.A. 057(b)							the relevant informatio n to the AIS covers only the origination of NOTAM	g aerodro mes/heli ports not falling in the scope of the EU regulato ry framewo rk
6.1	CHAPTER 6. AERONAUTICAL INFORMATION UPDATES 6.1 General specifications Aeronautical data and aeronautical information shall be kept up to date.	Regulation (EU) 2017/373, Annex VI, AIS.OR.500	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.2.1	6.2 Aeronautical information regulation and control (AIRAC) 6.2.1 Information concerning the following circumstances shall be distributed under the regulated system (AIRAC), i.e. basing establishment, withdrawal or significant changes upon a series of common effective dates at intervals of 28 days, including 8 November 2018:	Regulation (EU) 2017/373, Annex VI, AIS.OR.505, AIS.TR.505 (a)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RMZ and TMZ are also addressed under the regulatory provision.	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>a) limits (horizontal and vertical), regulations and procedures applicable to:</p> <ol style="list-style-type: none"> 1) flight information regions; 2) control areas; 3) control zones; 4) advisory areas; 5) air traffic services (ATS) routes; 6) permanent danger, prohibited and restricted areas (including type and periods of activity when known) and air defence identification zones (ADIZ); 7) permanent areas or routes or portions thereof where the possibility of interception exists; <p>b) positions, frequencies, call signs, identifiers, known irregularities and maintenance periods of radio navigation aids, and communication and surveillance facilities;</p> <p>c) holding and approach procedures, arrival and departure procedures, noise abatement procedures and any other pertinent ATS procedures;</p>									
--	---	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs						Significant Difference
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>d) transition levels, transition altitudes and minimum sector altitudes;</p> <p>e) meteorological facilities (including broadcasts) and procedures;</p> <p>f) runways and stopways;</p> <p>g) taxiways and aprons;</p> <p>h) aerodrome ground operating procedures (including low visibility procedures);</p> <p>i) approach and runway lighting; and</p> <p>j) aerodrome operating minima if published by a State.</p>									
6.2.2	6.2.2 The information notified under the AIRAC system shall not be changed further for at least another 28 days after the effective date, unless the circumstance notified is of a temporary nature and would not persist for the full period.	Regulation (EU) 2017/373, Annex VI, AIS.OR.505 (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.2.3	6.2.3 Information provided under the AIRAC system shall be made available by the aeronautical information service (AIS) so as to reach recipients at least 28 days in advance of the effective date.	Regulation (EU) 2017/373, Annex VI, AIS.OR.505 (2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Significant Difference
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<i>Note.— AIRAC information is distributed by the AIS unit at least 42 days in advance of the AIRAC effective dates with the objective of reaching recipients at least 28 days in advance of the effective date.</i>									
6.2.4	6.2.4 When information has not been submitted by the AIRAC date, a NIL notification shall be distributed not later than one cycle before the AIRAC effective date concerned.	Regulation (EU) 2017/373, Annex VI, AIS.TR.505 (c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.2.5	6.2.5 Implementation dates other than AIRAC effective dates shall not be used for pre-planned operationally significant changes requiring cartographic work and/or for updating of navigation databases.	Regulation (EU) 2017/373, Annex VI, AIS.OR.505 (3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.2.6	<p>6.2.6 Recommendation.— <i>The regulated system (AIRAC) should be used for the provision of information relating to the establishment and withdrawal of, and premeditated significant changes in, the circumstances listed below:</i></p> <p>a) <i>position, height and lighting of navigational obstacles;</i></p> <p>b) <i>hours of service of aerodromes, facilities and services;</i></p> <p>c) <i>customs, immigration and health services;</i></p>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		The recommendation has been transposed as guidance material

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>d) <i>temporary danger, prohibited and restricted areas and navigational hazards, military exercises and mass movements of aircraft; and</i></p> <p>e) <i>temporary areas or routes or portions thereof where the possibility of interception exists.</i></p>									
6.2.7	<p>6.2.7 Recommendation.— <i>Whenever major changes are planned and where advance notice is desirable and practicable, information should be made available by the AIS so as to reach recipients at least 56 days in advance of the effective date. This should be applied to the establishment of, and premeditated major changes in, the circumstances listed below, and other major changes if deemed necessary:</i></p> <p>a) <i>new aerodromes for international instrument flight rules (IFR) operations;</i></p> <p>b) <i>new runways for IFR operations at international aerodromes;</i></p> <p>c) <i>design and structure of the ATS route network;</i></p> <p>d) <i>design and structure of a set of terminal procedures (including change of procedure bearings due to magnetic variation change);</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.505 (b), AMC1 AIS.TR.505 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p><i>e) circumstances listed in 6.2.1 if the entire State or any significant portion thereof is affected or if cross-border coordination is required.</i></p> <p><i>Note.— Guidance material on what constitutes a major change is included in the Aeronautical Information Services Manual (Doc 8126).</i></p>									
6.3.1.1	<p>6.3 Aeronautical information product updates</p> <p>6.3.1 AIP updates</p> <p>6.3.1.1 The aeronautical information publication (AIP) shall be amended or reissued at such regular intervals as may be necessary to keep it up to date.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.310 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.3.1.2	<p>6.3.1.2 Permanent changes to the AIP shall be published as AIP Amendments.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.310 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.3.1.3	<p>6.3.1.3 Temporary changes of long duration (three months or longer) and information of short duration which contains extensive text and/or graphics shall be published as AIP Supplements.</p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.315 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Significant Difference			
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

6.3.2.1	<p>6.3.2 NOTAM</p> <p>6.3.2.1 When an AIP Amendment or an AIP Supplement is published in accordance with AIRAC procedures, a Trigger NOTAM shall be originated.</p> <p><i>Note.— Detailed specifications concerning the Trigger NOTAM are contained in the Procedures for Air Navigation Services — Aeronautical Information Management (PANS-AIM, Doc 10066).</i></p>	Regulation (EU) 2017/373, Annex VI, AIS.OR.510 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.3.2.2	6.3.2.2 A NOTAM shall be originated and issued promptly whenever the information to be distributed is of a temporary nature and of short duration, or when operationally significant permanent changes or temporary changes of long duration are made at short notice, except for extensive text and/or graphics.	Regulation (EU) 2017/373, Annex VI, AIS.OR.330 (a); Regulation (EU) 139/2014 Annex IV ADR.OPS.A. 057 (a)(1)(ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The provisions address the NOTAM issuance but do not cover explicitly all cases of NOTAM origination	
6.3.2.3	<p>6.3.2.3 A NOTAM shall be originated and issued concerning the following information:</p> <p>a) establishment, closure or significant changes in operation of aerodrome(s) or heliport(s) or runways;</p>	Regulation (EU) 2017/373, Annex VI, AIS.TR.330 (a); Regulation (EU)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The provisions do not cover explicitly all cases of NOTAM origination	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	b) establishment, withdrawal or significant changes in operation of aeronautical services (aerodromes, AIS, ATS, communications, navigation and surveillance (CNS), meteorology (MET), search and rescue (SAR), etc.);	139/2014 Annex IV ADR.OPS.A. 057 (b)								. Also, they do not cover the case of space weather NOTAM and do not define cases of NOTAM origination for radio-navigation, air-ground communication services and air-navigation hazards
	c) establishment, withdrawal or significant changes in operational capability of radio navigation and air-ground communication services. This includes: interruption or return to operation, change of frequencies, change in notified hours of service, change of identification, change of orientation (directional aids), change of location, power increase or decrease amounting to 50 per cent or more, change in broadcast schedules or contents, or irregularity or unreliability of operation of any radio navigation and air-ground communication services or limitations of relay stations including operational impact, affected service, frequency and area;									
	d) unavailability of back-up and secondary systems, having a direct operational impact;									
	e) establishment, withdrawal or significant changes to visual aids;									
	f) interruption of or return to operation of major components of aerodrome lighting systems;									
	g) establishment, withdrawal or significant changes to procedures for air navigation services;									

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>h) occurrence or correction of major defects or impediments in the manoeuvring area;</p> <p>i) changes to and limitations on availability of fuel, oil and oxygen;</p> <p>j) major changes to search and rescue facilities and services available;</p> <p>k) establishment, withdrawal or return to operation of hazard beacons marking obstacles to air navigation;</p> <p>l) changes in regulations requiring immediate action, e.g. prohibited areas for SAR action;</p> <p>m) presence of hazards not otherwise promulgated, which affect air navigation (including obstacles, military exercises and operations, intentional and unintentional radio frequency interferences, rocket launches, displays, fireworks, sky lanterns, rocket debris, races and major parachuting events);</p> <p>n) conflict zones which affect air navigation (to include information that is as specific as possible regarding the nature and extent of threats of that conflict and its consequences for civil aviation);</p> <p><i>Note.— Guidance related to conflict zones is contained in the Risk Assessment Manual for Civil Aircraft Operations Over or Near Conflict Zones (Doc 10084).</i></p>									
--	--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>o) planned laser emissions, laser displays and search lights if pilots' night vision is likely to be impaired;</p> <p>p) erecting or removal of, or changes to, obstacles to air navigation in the take-off/climb, missed approach, approach areas and runway strip;</p> <p>q) establishment or discontinuance (including activation or deactivation) as applicable, or changes in the status of prohibited, restricted or danger areas;</p> <p>r) establishment or discontinuance of areas or routes or portions thereof where the possibility of interception exists and where the maintenance of guard on the VHF emergency frequency 121.5 MHz is required;</p> <p>s) allocation, cancellation or change of location indicators;</p> <p>t) changes in aerodrome/heliport rescue and firefighting category provided (see Annex 14, Volume I, Chapter 9, and Attachment A, Section 17);</p> <p>u) presence or removal of, or significant changes in, hazardous conditions due to snow, slush, ice, radioactive material, toxic chemicals, volcanic ash deposition or water on the movement area;</p>									
--	---	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs			Signi ficant Differ ence			
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>v) outbreaks of epidemics necessitating changes in notified requirements for inoculations and quarantine measures;</p> <p>w) observations or forecasts of space weather phenomena, the date and time of their occurrence, the flight levels where provided and portions of the airspace which may be affected by the phenomena;</p> <p>x) an operationally significant change in volcanic activity, the location, date and time of volcanic eruptions and/or horizontal and vertical extent of volcanic ash cloud, including direction of movement, flight levels and routes or portions of routes which could be affected;</p> <p>y) release into the atmosphere of radioactive materials or toxic chemicals following a nuclear or chemical incident, the location, date and time of the incident, the flight levels and routes or portions thereof which could be affected and the direction of movement;</p> <p>z) establishment of operations of humanitarian relief missions, such as those undertaken under the auspices of the United Nations, together with procedures and/or limitations which affect air navigation; and</p> <p>aa) implementation of short-term contingency measures in cases of disruption, or partial disruption, of ATS and related supporting services.</p>									
--	--	--	--	--	--	--	--	--	--	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p><i>Note.— See Annex 11, 2.31 and Attachment C to that Annex.</i></p> <p><i>Note.— Specifications concerning the timely promulgation of information by NOTAM are contained in Chapter 6 of the Procedures for Air Navigation Services — Aeronautical Information Management (PANS-AIM, Doc 10066).</i></p>									
6.3.2.4	<p>6.3.2.4 The following information shall not be notified by NOTAM:</p> <p>a) routine maintenance work on aprons and taxiways which does not affect the safe movement of aircraft;</p> <p>b) runway marking work, when aircraft operations can safely be conducted on other available runways, or the equipment used can be removed when necessary;</p> <p>c) temporary obstructions in the vicinity of aerodromes/heliports that do not affect the safe operation of aircraft;</p> <p>d) partial failure of aerodrome/heliport lighting facilities where such failure does not directly affect aircraft operations;</p>	<p>Regulation (EU) 2017/373, Annex VI, AIS.TR.330 (b) and Regulation (EU) 139/2014 Annex IV ADR.OPS.A. 057 (b)(16)</p>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	A NOTAM is also required to be be originated and issued in the case of unavailability of a runway due to runway marking works or, if the equipment used for those works can be	

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						Signi ficant Differ ence
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>e) partial temporary failure of air-ground communications when suitable alternative frequencies are known to be available and are operative;</p> <p>f) the lack of apron marshalling services and road traffic control;</p> <p>g) the unserviceability of location, destination or other instruction signs on the aerodrome movement area;</p> <p>h) parachuting when in uncontrolled airspace under VFR (see 6.3.2.3 m)), when controlled, at promulgated sites or within danger or prohibited areas;</p> <p>i) training activities by ground units;</p> <p>j) unavailability of back-up and secondary systems if these do not have an operational impact;</p> <p>k) limitations to airport facilities or general services with no operational impact;</p> <p>l) national regulations not affecting general aviation;</p> <p>m) announcement or warnings about possible/potential limitations, without any operational impact;</p> <p>n) general reminders on already published information;</p>								removed, a time lag required for making the runway available.	
--	--	--	--	--	--	--	--	--	---	--

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes			Significant Difference			
				Level of implementation of SARPs						
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	<p>o) availability of equipment for ground units without containing information on the operational impact for airspace and facility users;</p> <p>p) information about laser emissions without any operational impact and fireworks below minimum flying heights;</p> <p>q) closure of movement area parts in connection with planned work locally coordinated of duration of less than one hour;</p> <p>r) closure or unavailability of, or changes in, operation of aerodrome(s)/heliport(s) outside the aerodrome(s)/heliport(s) operational hours; and</p> <p>s) other non-operational information of a similar temporary nature.</p> <p><i>Note.— Information which relates to an aerodrome and its vicinity and does not affect its operational status may be distributed locally during pre-flight or in-flight briefing or other local contact with flight crews.</i></p>									
6.3.3.1	6.3.3 Data set updates	Regulation (EU) 2017/373, Annex VI,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference				Not Applicable	Details of Difference	Remarks	
Annex Reference & SARP Identifier	AERONAUTICAL INFORMATION SERVICES - Annex Standard or Recommended Practice		No	Yes						
				Level of implementation of SARPs						Significant Difference
				A) More Exacting or Exceeds	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				

	6.3.3.1 Data sets shall be amended or reissued at such regular intervals as may be necessary to keep them up to date.	AIS.OR.515 (a)								
6.3.3.2	6.3.3.2 Permanent changes and temporary changes of long duration (three months or longer) made available as digital data shall be issued in the form of a complete data set or a subset that includes only the differences from the previously issued complete data set.	Regulation (EU) 2017/373, Annex VI, AIS.OR.515 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.3.3.3	6.3.3.3 Recommendation. — <i>When made available as a completely reissued data set, the differences from the previously issued complete data set should be indicated.</i>	Regulation (EU) 2017/373, Annex VI, AIS.OR.515 and AMC1 AIS.OR.515 (a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.3.3.4	6.3.3.4 Recommendation. — <i>When temporary changes of short duration are made available as digital data (digital NOTAM), they should use the same aeronautical information model as the complete data set.</i>	Regulation (EU) 2017/373, Annex VI, AIS.OR.515 and AMC1 AIS.OR.515 (b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6.3.3.5	6.3.3.5 Updates to AIP and digital data sets shall be synchronized.		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The standard has not been	

Annex Reference & SARP Identifier	European Union Aviation Safety Agency-Annex 15 Amendment 42	State Reference	Difference					Not Applicable	Details of Difference	Remarks
	AERONAUTICAL INFORMATION SERVICES -		No	Yes			Signi ficant Differ ence			
				Level of implementation of SARPs						
				A) More Exactin g or Exceed s	B) Different in character or Other means of compliance	C) Less protective or partially implemented or not implemented				
	Annex Standard or Recommended Practice									

									transposed	
--	--	--	--	--	--	--	--	--	------------	--