



Fire/Explosion Risk in Transport Category Airplane fuel tank ullages

TANK ULLAGE INERTING ?

Jet A Fuel Vapors' Flammability Limits ?

Limiting Oxygen Concentration (LOC) ?

What if they were flawed ?

ASTM Standard methods must be reviewed under large volume conditions, taking auto-oxidation/ignition into account

© B. des Clers 2006

2

Fire/Explosion Risk in Transport Category Airplane Fuel Tank Ullages


- An ullage atmosphere, composed of fuel vapors/oxygen/inert gas is a reacting, « **explosive atmosphere*** », where reactions start at the instant when fuel and oxidizer are mixed or put in contact, i.e. from time $t = 0$
- Pre-ignition chain-branching reactions keep rolling from that instant on, usually without any heat release (**globally isothermal**), at a rate which accelerates exponentially when the ambient temperature increases

© B. des Clers 2006

3

Spontaneous Self-Ignition of « Explosive Atmospheres * »

24/01/2006



4

Fire/Explosion Risk in Transport Category Airplane Fuel Tank Ullages

Spontaneous Self-Ignition entails :

- No need for an « **ignition source** », just an « **ignition cause** » (which is self-ignition)
- The « **Triangle of Fire** » is an obsolete concept
- There is no « **Auto-Ignition Temperature** » for jet fuel vapors : mixed with air, they make up an « **explosive atmosphere*** » (*in the EU sense of this term) : **they can self-ignite**, and the flame propagate and burn the entire mixture, even at ambient temperatures of minus 130°Celsius

© B. des Clers 2006

5

Fire/Explosion Risk in Transport Category Airplane Fuel Tank Ullages

1. The **FAA definition** of « *Inerting* » is **flawed and misleading** (it is not « *true inerting* »)
It does not preclude presence of flammable ullage atmospheres (fuel vapors/oxygen/N₂)
2. **LOC** : « *Limiting Oxygen Concentration* », **arbitrarily defined by FAA** as occurring when [O₂] < 12%, **is flawed** : it is not validated by theory, nor by « clean » past experimentation
3. This arbitrary threshold does not guarantee the requested absence of danger and suppression of fire/explosion risk

© B. des Clers 2006

6

Fire/Explosion Risk in Transport Category Airplane Fuel Tank Ullages

- As long as some oxygen is present, merely diluting (enriching) with more nitrogen the mixture of air/Jet A vapors which fill the tank ullages, cannot render such mixtures « *truly inert* », **unless all [O₂] is eliminated**
- They will otherwise constitute dangerous, « **explosive atmospheres*** », in the EU Directive sense of the term, i.e. *ignitable*, incl. by self-ignition, and *flammable* (the flame will propagate and burn the whole mixture)

© B. des Clers 2006

7

Fire/Explosion Risk : In Transport Category Airplane Fuel Tank Ullages

Experimental Validation: no such thing as 12% !

- Oxidation reactions at any [O₂], smouldering self-ignition and fire, « cool », hot flames, detonation ...
- Combustion, detonation at very high inert gas dilution shock tube experiments (550<T°K<1700)
 - oxygen/hydrogen : [O₂] < 0.004 in argon
 - oxygen/methane : [O₂] self-ignites w. >94% N₂
 - oxygen/iso-octane, n-heptane w. 70-90% N₂ at ambient temperatures, self-ignition if [O₂] > 0% given **time** : all hydrocarbons and carbohydrates

© B. des Clers 2006

8

Fire/Explosion Risk in Transport Category Airplane Fuel Tank Ullages

Theoretical Validation of LOC : None !

- Arrhenius says : Reaction rates accelerate exponentially with rising ambient temperature
- Oxidation reactions take place, from the instant they are created, in all « explosive atmospheres », at any ambient temperature
- The chain-branching reactions lead to self-ignition, often isothermally, for C_nH_m fuels
- Chemical kinetics modeling can now predict the self-ignition delays of hydrocarbon fuels

© B. des Clers 2006

9

Fire/Explosion Risk in Transport Category in Airplane Fuel Tank Ullages

Explanation of accidents (Danger)

- Urgent operational guidelines (ground/flight)
- Retrofitting if guidelines insufficient
- Airplanes in production – measures to be taken to suppress danger, to control risk
- What consequences if the present FAA Rules, Regs OK'd? Cost, misrepresentation of safety?
- New design safety (control/monitoring/action)

© B. des Clers 2006

10

Fire/Explosion Risk Transport Category Airplane Fuel Tank Ullages

Explanation of airplane fuel tank accidents

- « Warm » days (and nights), AC Units
- « Heated », « empty », fuel tanks
- Self-ignition of « explosive atmosphere », e.g. when « induction period » had elapsed
- Flame kernel, fire, deflagration/explosion
- Self-ignition delay and time –temperature
- Thai Airways and Philippine Airlines on the ground fire start-ups; TWA 800 in flight

© B. des Clers 2006

11

Fire/Explosion Risk Transport Category Airplane Fuel Tank Ullages

Be aware of the Danger:

- Ullage atmospheres are time bombs, will self-ignite w/o warning when their induction period runs out
- They are non-homogeneous and reactive
- *Self-Ignition Delay* (induction period) and *Minimum Ignition Energy* (MIE) both diminish exponentially towards zero with increasing ullage temperature

© B. des Clers 2006

12

Fire/Explosion Risk : Transport Category Airplane Fuel Tank Ullages

Urgent Operational Safety Guidelines :

On the ground

1. control of the potential danger of the fuel (chemical and physical specifications) being loaded into the tanks
2. rectify with cooling, cleaning, anti-oxidants

Loading, waiting at gate and in flight

1. monitor fuel and ullage temperatures
2. always flush ullage atmospheres as told

© B. des Clers 2006

13

Fire/Explosion of Transport Category Airplane Fuel Tank Ullages

Retrofitting of the existing fleet

- True Inerting (*i.e. ullage containing zero [O₂]*)
- Flushing and filling ullages w. pure N₂ until at all times presence of only fuel vapors and N₂ ?
- Instrumentation (T, t)
- Measuring, monitoring, acting
- Burning oxygen-containing ullage under control ?
- Bladders and Airbags in CWT's, which also offer major improvement of post-crash survivability by reducing/preventing massive fuel spill-off, post crash fires and casualties.

© B. des Clers 2006

14

Fire/Explosion of Transport Category Airplane Fuel Tank Ullages

End of Presentation

© B. des Clers 2006

15