



ICAO ENGINE EXHAUST EMISSIONS DATA SHEET

SUBSONIC ENGINES

ENGINE IDENTIFICATION: CFM56-7B24
UNIQUE ID NUMBER: 3CM032
COMBUSTOR:
ENGINE TYPE: TF

BYPASS RATIO: 5.2
PRESSURE RATIO (π_{00}): 25.8
RATED THRUST (F_{00}) (kN): 107.7

REGULATORY DATA

CHARACTERISTIC VALUE:	HC	CO	NO _x	SMOKE NUMBER
D _p /F ₀₀ (g/kN) or SN	6.0	45.6	55.4	16.2
AS % OF ORIGINAL LIMIT	30.6	38.6	60.5	69.8
AS % OF CAEP/2 LIMIT (NO _x)			75.6	
AS % OF CAEP/4 LIMIT (NO _x)			92.0	
AS % OF CAEP/6 LIMIT (NO _x)			104.5	
AS % OF CAEP/8 LIMIT (NO _x)			125.4	

DATA STATUS

- PRE-REGULATION
x CERTIFICATION
- REVISED (SEE REMARKS)

TEST ENGINE STATUS

x NEWLY MANUFACTURED ENGINES
- DEDICATED ENGINES TO PRODUCTION STANDARD
- OTHER (SEE REMARKS)

EMISSIONS STATUS

x DATA CORRECTED TO REFERENCE
(ANNEX 16 VOLUME II)

CURRENT ENGINE STATUS

(IN PRODUCTION, IN SERVICE UNLESS OTHERWISE NOTED)
x OUT OF PRODUCTION (DATE: -)
- OUT OF SERVICE (DATE: -)

MEASURED DATA

MODE	POWER SETTING (%F ₀₀)	TIME (minutes)	FUEL FLOW (kg/s)	EMISSIONS INDICES (g/kg)			SMOKE NUMBER
				HC	CO	NO _x	
TAKE-OFF	100	0.7	1.103	0.10	0.40	25.30	12.6
CLIMB OUT	85	2.2	0.910	0.10	0.60	20.50	11.4
APPROACH	30	4.0	0.316	0.10	2.20	10.10	0.0
IDLE	7	26.0	0.109	2.40	22.00	4.40	0.0
LTO TOTAL FUEL (kg) or EMISSIONS (g)			412	432	3998	5149	-
NUMBER OF ENGINES				1	1	1	1
NUMBER OF TESTS				3	3	3	3
AVERAGE D _p /F ₀₀ (g/kN) or AVERAGE SN (MAX)				3.9	37.1	47.8	12.6
SIGMA (D _p /F ₀₀ in g/kN, or SN)							
RANGE (D _p /F ₀₀ in g/kN, or SN)							

ACCESSORY LOADS

POWER EXTRACTION 0 (kW)
STAGE BLEED 0 (% CORE FLOW)

AT - POWER SETTINGS
AT - POWER SETTINGS

ATMOSPHERIC CONDITIONS

BAROMETER (kPa)	97.8-98
TEMPERATURE (K)	294-297
ABS HUMIDITY (kg/kg)	0.01-0.0157

FUEL

SPEC	Jet A
H/C	1.86-1.97
AROM (%)	16.9-17.7

MANUFACTURER: CFM International
TEST ORGANIZATION: CFM56-7B Eval Engineering
TEST LOCATION: Peebles Test Operation (PTO), Peebles, Ohio
TEST DATES: 01/07/1996

REMARKS

1. FAA Certification Report CR-997, Dec 96.
2. Engine S/N 874-101/01

Compliance with Fuel Venting requirements:

- ('x' if complies, 'PR' if pre-regulation, '-' if information is not available)